


T-ADR

Working desk

- » Made from stainless steel EN 17241
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm



lenght \ depth	Price without VAT (€)		
	600	700	800
800	84	93	99
900	91	100	106
1000	98	107	113
1100	105	114	120
1200	112	121	127
1300	119	128	134
1400	126	135	141
1500	133	142	148
1600	140	149	155
1700	147	156	162
1800	154	163	169
1900	161	170	176
2000	168	177	183
2100	175	184	190
2200	182	191	197
2300	189	198	204
2400	196	205	211
2500	203	212	218
2600	210	219	225
2700	217	226	232
2800	224	233	239

T-ADP

Double pressed working desk

- » Made from stainless steel EN 17241
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm




lenght \ depth	Price without VAT (€)		
	600	700	800
800	102	114	123
900	109	121	130
1000	116	128	137
1100	123	135	144
1200	130	142	151
1300	137	149	158
1400	144	156	165
1500	151	163	172
1600	158	170	179
1700	165	176	185
1800	172	183	192
1900	179	190	199
2000	186	197	206
2100	193	204	213
2200	200	211	220
2300	207	218	227
2400	214	225	234
2500	221	232	241
2600	228	239	248
2700	235	246	255
2800	242	253	262

T-AD - 1 D

Working desk with sink

- » Made from stainless steel EN 17241
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Stamped basin 500x400x250 mm




lenght \ depth	Price without VAT (€)		
	600	700	800
800	229	238	244
900	236	245	251
1000	243	252	258
1100	250	259	265
1200	257	266	272
1300	264	273	279
1400	271	280	286
1500	278	287	293
1600	285	294	300
1700	292	301	307
1800	299	308	314
1900	306	315	321
2000	313	322	328
2100	320	329	335
2200	327	336	342
2300	334	343	349
2400	341	350	356
2500	348	357	363
2600	355	364	370
2700	362	371	377
2800	369	378	384

T-ADP

Working desk with double sink

- » Made from stainless steel EN 17241
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Stamped basins 500x400x250 mm



lenght \ depth	Price without VAT (€)		
	600	700	800
1100	413	424	433
1200	420	431	440
1300	427	438	447
1400	434	445	454
1500	441	452	461
1600	448	459	468
1700	455	466	475
1800	462	473	482
1900	469	480	489
2000	476	487	496
2100	483	494	503
2200	490	501	510
2300	497	508	517
2400	504	515	524
2500	511	522	531
2600	518	529	538
2700	524	536	545
2800	531	543	552

T-NK

Console

- » Made from stainless steel EN 17241



dimensions	Price without VAT (€)
400 x 400	15
500 x 500	16
600 x 600	18
700 x 700	19
800 x 800	20

► T-ASJ-1

Working table

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm



lenght \ depth	Price without VAT (€)		
	600	700	800
800	209	218	224
900	217	226	232
1000	224	233	239
1100	232	241	247
1200	240	249	255
1300	247	256	262
1400	255	264	270
1500	262	271	277
1600	270	279	285
1700	277	286	292
1800	285	294	300
1900	293	302	308

► T-ASJV-1

Long working table

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » 6 legs
- » Leg adjustment + 45 mm



lenght \ depth	Price without VAT (€)		
	600	700	800
2000	371	382	389
2100	382	393	400
2200	393	403	410
2300	404	414	421
2400	414	425	432
2500	425	436	443
2600	436	446	453
2700	447	457	464
2800	457	468	475

► T-ASJ-3

Working table with shelf

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Shelf 150 mm from ground



lenght \ depth	Price without VAT (€)		
	600	700	800
800	253	265	274
900	265	277	286
1000	276	288	297
1100	288	300	309
1200	299	311	320
1300	311	323	332
1400	322	334	343
1500	334	346	355
1600	346	358	367
1700	357	369	378
1800	369	381	390
1900	380	392	401

► T-ASJV-3

Long working table with shelf

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » 6 legs
- » Leg adjustment + 45 mm
- » Shelf 150 mm from ground



lenght \ depth	Price without VAT (€)		
	600	700	800
2000	455	469	479
2100	473	487	497
2200	491	504	514
2300	509	522	532
2400	526	540	550
2500	544	558	568
2600	562	575	585
2700	580	593	603
2800	597	611	621

► Accessories and additional payments on page C-26

T-ASJ-4

Working table with grid shelf

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Grid shelf 150 mm from ground



lenght \ depth	Price without VAT (€)		
	600	700	800
800	260	272	281
900	273	285	294
1000	285	297	306
1100	298	310	319
1200	310	322	331
1300	323	335	344
1400	335	347	356
1500	348	360	369
1600	360	372	381
1700	373	385	394
1800	386	398	407
1900	398	410	419

T-ASJV-4

Long working table with grid shelf

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » 6 legs
- » Leg adjustment + 45 mm
- » Grid shelf 150 mm from ground



lenght \ depth	Price without VAT (€)		
	600	700	800
2000	482	495	505
2100	498	511	521
2200	513	527	537
2300	529	543	553
2400	545	558	568
2500	561	574	584
2600	576	590	600
2700	592	606	616
2800	608	621	631

T-ASJ-8

Working table with waste hole

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Waste hole Ø 200 mm in working desk



lenght \ depth	Price without VAT (€)		
	600	700	800
800	224	233	239
900	232	241	247
1000	239	248	254
1100	247	256	262
1200	255	264	270
1300	262	271	277
1400	270	279	285
1500	277	286	292
1600	285	294	300
1700	292	301	307
1800	300	309	315
1900	307	316	322

T-ASJV-8

Long working table with waste hole

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » 6 legs
- » Leg adjustment + 45 mm
- » Waste hole Ø 200 mm in working desk



lenght \ depth	Price without VAT (€)		
	600	700	800
2000	386	397	404
2100	397	407	414
2200	408	418	425
2300	419	429	436
2400	429	440	447
2500	440	451	458
2600	451	461	468
2700	462	472	479
2800	472	483	490

Accessories and additional payments on page C-26

T-ASJ-9

Working table with two shelves

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Two shelves, bottom 150 mm from ground



lenght \ depth	Price without VAT (€)		
	600	700	800
800	297	312	324
900	313	328	340
1000	328	343	355
1100	344	359	371
1200	359	374	386
1300	375	390	402
1400	390	405	417
1500	406	421	433
1600	421	436	448
1700	437	452	464
1800	452	467	479
1900	468	483	495

T-ASJV-9

Long working table with two shelves

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Two shelves, bottom 150 mm from ground
- » 6 legs



lenght \ depth	Price without VAT (€)		
	600	700	800
2000	539	556	569
2100	564	581	594
2200	589	605	618
2300	614	630	643
2400	638	655	668
2500	663	680	693
2600	688	704	717
2700	713	729	742
2800	737	754	767

T-ASJ-7

Working table with covers

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » 3 side covers
- » Two shelves, bottom 150 mm from ground



lenght \ depth	Price without VAT (€)		
	600	700	800
800	389	410	428
900	408	429	447
1000	426	447	465
1100	445	466	484
1200	463	484	502
1300	482	503	521
1400	500	521	539
1500	519	540	558
1600	537	558	576
1700	556	577	595
1800	574	595	613
1900	593	614	632

T-ASJV-7

Long working table with covers

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » 3 side covers
- » Two shelves, bottom 150 mm from ground
- » 6 legs



lenght \ depth	Price without VAT (€)		
	600	700	800
2000	667	690	709
2100	695	718	737
2200	723	745	764
2300	751	773	792
2400	778	801	820
2500	806	829	848
2600	834	856	875
2700	862	884	903
2800	889	912	931

Accessories and additional payments on page C-26

T-ASJ-1 Z

Working table with drawer

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Drawer for GN 1/1



lenght \ depth	Price without VAT (€)		
	600	700	800
800	239	248	254
900	247	256	262
1000	254	263	269
1100	262	271	277
1200	269	278	284
1300	277	286	292
1400	284	293	299
1500	292	301	307
1600	300	309	315
1700	307	316	322
1800	315	324	330
1900	322	331	337

T-AZSP-1

Working table with drawer

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Drawer for GN 1/1
- » Shelf 150 mm from ground



lenght \ depth	Price without VAT (€)		
	600	700	800
800	335	353	368
900	350	368	383
1000	364	382	397
1100	379	397	412
1200	393	411	426
1300	408	426	441
1400	423	441	456
1500	437	455	470
1600	452	470	485
1700	466	484	499
1800	481	499	514
1900	495	513	528

T-AZSP-2

Working table with drawers

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » 2 x Drawer for GN 1/1
- » Shelf 150 mm from ground



lenght \ depth	Price without VAT (€)		
	600	700	800
1100	409	427	442
1200	423	441	456
1300	438	456	471
1400	452	470	485
1500	467	485	500
1600	481	499	514
1700	496	514	529
1800	510	528	543
1900	525	543	558
2000	603	622	638
2100	624	643	659
2200	645	664	680

T-AZSP-3

Working table with drawers

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » 3 x Drawer for GN 1/1
- » Shelf 150 mm from ground



lenght \ depth	Price without VAT (€)		
	600	700	800
1500	496	514	529
1600	511	529	544
1700	526	544	559
1800	540	558	573
1900	555	573	588
2000	633	652	668
2100	653	673	689
2200	674	694	710

Accessories and additional payments on page C-26

Working tables

► T-AZSR-1

Working table with drawer

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Drawer for GN 1/1
- » Grid shelf 150 mm from ground



lenght \ depth	Price without VAT (€)		
	600	700	800
800	342	360	375
900	358	376	391
1000	373	391	406
1100	389	407	422
1200	404	422	437
1300	420	438	453
1400	435	453	468
1500	451	469	484
1600	467	485	500
1700	482	500	515
1800	498	516	531
1900	513	531	546

► T-AZSR-2

Working table with drawers

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » 2 x Drawer for GN 1/1
- » Grid shelf 150 mm from ground



lenght \ depth	Price without VAT (€)		
	600	700	800
1100	419	437	452
1200	434	452	467
1300	450	468	483
1400	465	483	498
1500	481	499	514
1600	496	514	529
1700	512	530	545
1800	527	545	560
1900	543	561	576
2000	630	649	665
2100	648	668	684
2200	667	687	703

► T-AZSR-3

Working table with drawers

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » 3 x Drawer for GN 1/1
- » Grid shelf 150 mm from ground



lenght \ depth	Price without VAT (€)		
	600	700	800
1500	510	528	543
1600	526	544	559
1700	541	559	574
1800	557	575	590
1900	573	591	606
2000	659	679	695
2100	678	698	714
2200	697	716	732

► Accessories and additional payments on page C-26

T-AZS-1

Working table with drawers

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » 3 x vertical Drawer for GN 1/1
- » Shelf 150 mm from ground



lenght \ depth	Price without VAT (€)		
	600	700	800
800	375	387	396
900	386	398	407
1000	398	410	419
1100	409	421	430
1200	421	433	442
1300	433	445	454
1400	444	456	465
1500	456	468	477
1600	467	479	488
1700	479	491	500
1800	490	502	511
1900	502	514	523

T-AZSV-1

Long working table with drawers

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » 3 x vertical Drawer for GN 1/1
- » Shelf 150 mm from ground
- » 6 legs



lenght \ depth	Price without VAT (€)		
	600	700	800
2000	585	598	608
2100	599	613	623
2200	606	620	630
2300	624	638	648
2400	642	655	665
2500	660	673	683
2600	677	691	701
2700	695	709	719
2800	713	727	737

T-AZS-3

Working table with drawers

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » 3 x vertical Drawer for GN 1/1
- » 3 side covers
- » Two shelves, bottom 150 mm from ground




lenght \ depth	Price without VAT (€)		
	600	700	800
800	503	524	542
900	521	542	560
1000	540	561	579
1100	558	579	597
1200	577	598	616
1300	595	616	634
1400	614	635	653
1500	632	653	671
1600	651	672	690
1700	670	691	709
1800	688	709	727
1900	707	728	746

T-AZSV-3

Long working table with drawers

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » 3 x vertical Drawer for GN 1/1
- » 3 side covers
- » Two shelves, bottom 150 mm from ground
- » 6 legs



lenght \ depth	Price without VAT (€)		
	600	700	800
2000	796	819	838
2100	818	841	860
2200	824	847	866
2300	852	875	894
2400	880	902	921
2500	908	930	949
2600	935	958	977
2700	963	986	1 005
2800	991	1 014	1 033

Accessories and additional payments on page C-26

T-AZS-6

Working table with drawers

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » 3 x vertical Drawer for GN 1/1
- » 3 side covers
- » Rolling doors
- » Two shelves, bottom 150 mm from ground



lenght \ depth	Price without VAT (€)		
	600	700	800
1500	773	794	812
1600	797	818	836
1700	821	842	860
1800	844	865	883
1900	868	889	907
2000	962	985	1 004
2100	989	1 011	1 030
2200	1 000	1 023	1 042

T-AZS-7

Working table with drawers

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » 3 x vertical Drawer for GN 1/1
- » 3 side covers
- » Standars doors
- » Two shelves, bottom 150 mm from ground



lenght \ depth	Price without VAT (€)		
	600	700	800
1000	620	641	659
1100	644	665	683
1200	667	688	706
1300	691	712	730
1400	715	736	754
1500	738	759	777
1600	762	783	801
1700	785	806	824
1800	809	830	848
1900	832	853	871

T-ASD-1

Working table with covers

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » 3 side covers
- » Rolling doors
- » Two shelves, bottom 150 mm from ground



lenght \ depth	Price without VAT (€)		
	600	700	800
1000	567	588	606
1100	591	612	630
1200	614	635	653
1300	638	659	677
1400	661	682	700
1500	685	706	724
1600	708	729	747
1700	732	753	771
1800	755	776	794
1900	779	800	818

T-ASDV-1

Long working table with covers

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » 3 side covers
- » Rolling doors
- » Two shelves, bottom 150 mm from ground
- » 6 legs



lenght \ depth	Price without VAT (€)		
	600	700	800
2000	858	881	900
2100	891	913	932
2200	924	946	965
2300	956	979	998
2400	989	1 012	1 031
2500	1 022	1 044	1 063
2600	1 055	1 077	1 096
2700	1 087	1 110	1 129
2800	1 120	1 143	1 162

Accessories and additional payments on page C-26

T-ASD-2

Working table with covers

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » 3 side covers
- » Standard doors
- » Two shelves, bottom 150 mm from ground



depth length	Price without VAT (€)		
	600	700	800
800	470	491	509
900	493	514	532
1000	517	538	556
1100	540	561	579
1200	564	585	603
1300	587	608	626
1400	611	632	650

T-ASD-3

Working table with waste basket

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » 3 side covers
- » Rolling doors
- » Waste basket
- » Two shelves, bottom 150 mm from ground




depth length	Price without VAT (€)		
	600	700	800
1000	617	638	656
1100	640	661	679
1200	664	685	703
1300	687	708	726
1400	711	732	750
1500	734	755	773
1600	758	779	797
1700	781	802	820
1800	805	826	844
1900	829	850	868

T-AZS-8

Working table with waste basket

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » 3 side covers
- » Standard doors
- » Waste basket
- » Two shelves, bottom 150 mm from ground



depth length	Price without VAT (€)		
	600	700	800
1500	785	806	824
1600	808	829	847
1700	832	853	871
1800	855	876	894
1900	879	900	918
2000	974	996	1 015
2100	1 000	1 023	1 042
2200	1 012	1 034	1 053

T-AZS-9

Working table with waste basket

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Waste basket
- » Shelf 150 mm from ground



depth length	Price without VAT (€)		
	600	700	800
1000	452	470	485
1100	463	481	496
1200	475	493	508
1300	486	504	519
1400	498	516	531
1500	509	527	542
1600	521	539	554
1700	533	551	566
1800	544	562	577
1900	556	574	589
2000	638	658	674
2100	653	673	689
2200	660	680	696

Accessories and additional payments on page C-26

T-AZB - 1

Vertical drawers unit

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » 3 side covers
- » 3 x vertical Drawer for GN 1/1



lenght \ depth	Price without VAT (€)		
	600	700	800
490	372	378	384

T-AZB - 2

Waste basket unit

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » 3 side covers
- » Waste basket



lenght \ depth	Price without VAT (€)		
	600	700	800
490	330	339	345

T-MK - 1

Working table for heavy preparation

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Plastic working table 80 mm
- » Leg adjustment + 45 mm
- » Heavy duty legs



dimensions	Price without VAT (€)
400 x 400	232
500 x 500	312
600 x 600	393
700 x 700	473
800 x 800	554

T-KNO - 1

Waste basket

- » Made from stainless steel EN 17241
- » Stainless steel cover
- » 4 x wheel Ø 50 mm
- » Plastic handle



volume 70 l
Height / diameter
610 / Ø 390 mm

131 €

T-KNO - 2

Waste basket

- » Made from stainless steel EN 17241
- » Stainless steel cover
- » 4 x wheel Ø 50 mm
- » Plastic handle

volume 115 l
Height / diameter
610 / Ø 390 mm

144 €

Accessories and additional payments on page C-26

T-ADZ-1

Sink with soldered basin

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stainless steel profile legs



lenght \ depth	Price without VAT (€)		
	600	700	800
600	224	232	239
700	232	239	247
800	239	247	255

T-ADZ-1 P

Sink with soldered basin with shelf

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stainless steel profile legs
- » Shelf 150 mm from ground



lenght \ depth	Price without VAT (€)		
	600	700	800
600	270	281	292
700	282	294	305
800	295	306	318

T-ADZ-1 R

Sink with soldered basin with grid shelf

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stainless steel profile legs
- » Grid shelf 150 mm from ground



lenght \ depth	Price without VAT (€)		
	600	700	800
600	276	294	305
700	290	301	313
800	304	315	327

T-ADZ-2

Sink with soldered basin

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stainless steel profile legs



lenght \ depth	Price without VAT (€)		
	600	700	800
900	255	262	270
1000	262	270	277
1100	270	277	285
1200	277	285	293

T-ADZ-2 P

Sink with soldered basin with shelf

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stainless steel profile legs
- » Shelf 150 mm from ground



lenght \ depth	Price without VAT (€)		
	600	700	800
900	315	327	338
1000	328	339	351
1100	340	352	363
1200	353	365	376

T-ADZ-2 R

Sink with soldered basin with grid shelf

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stainless steel profile legs
- » Grid shelf 150 mm from ground



lenght \ depth	Price without VAT (€)		
	600	700	800
900	325	337	348
1000	339	351	362
1100	353	364	376
1200	367	378	390

Accessories and additional payments on page C-26

Kitchen sink with soldered and stamped basins

➤ T-ADZ-3

Double-sink with soldered basins

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stainless steel profile legs



lenght \ depth	Price without VAT (€)		
	600	700	800
1000	285	293	300
1100	293	300	308
1200	300	308	315
1300	308	315	323
1400	315	323	331

➤ T-ADZ-3 P

Double-sink with soldered basins with shelf

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stainless steel profile legs
- » Shelf 150 mm from ground



lenght \ depth	Price without VAT (€)		
	600	700	800
1000	351	362	373
1100	363	375	386
1200	376	387	399
1300	389	400	411
1400	401	413	424

➤ T-ADZ-3 R

Double-sink with soldered basins with grid shelf

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stainless steel profile legs
- » Grid shelf 150 mm from ground



lenght \ depth	Price without VAT (€)		
	600	700	800
1000	362	373	385
1100	376	387	399
1200	390	401	413
1300	404	415	426
1400	418	429	440

➤ T-ADL-1

Sink with stamped basin

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stainless steel profile legs
- » Stamped basin - dimension depend on table dimensions



lenght \ depth	Price without VAT (€)		
	600	700	800
600	336	342	349
700	342	349	355
800	349	355	362

➤ T-ADL-1 P

Sink with stamped basin with shelf

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stainless steel profile legs
- » Shelf 150 mm from ground
- » Stamped basin - dimension depend on table dimensions



lenght \ depth	Price without VAT (€)		
	600	700	800
600	374	384	393
700	385	394	404
800	396	405	415

➤ T-ADL-1 R

Sink with stamped basin with grid shelf

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stainless steel profile legs
- » Grid shelf 150 mm from ground
- » Stamped basin - dimension depend on table dimensions



lenght \ depth	Price without VAT (€)		
	600	700	800
600	380	394	404
700	391	401	410
800	403	413	422

➤ Accessories and additional payments on page C-26

T-ADL-2

Sink with stamped basin

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stainless steel profile legs
- » Stamped basin - dimension depend on table dimensions



lenght \ depth	Price without VAT (€)		
	600	700	800
900	547	554	560
1000	554	560	566
1100	560	566	573
1200	566	573	579

T-ADL-2 P

Sink with stamped basin with shelf

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stainless steel profile legs
- » Shelf 150 mm from ground
- » Stamped basin - dimension depend on table dimensions



lenght \ depth	Price without VAT (€)		
	600	700	800
900	598	608	617
1000	609	618	628
1100	620	629	639
1200	630	640	649

T-ADL-2 R

Sink with stamped basin with grid shelf

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stainless steel profile legs
- » Grid shelf 150 mm from ground
- » Stamped basin - dimension depend on table dimensions



lenght \ depth	Price without VAT (€)		
	600	700	800
900	607	616	626
1000	618	628	638
1100	630	640	649
1200	642	651	661

T-ADL-3

Double-sink with stamped basins

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stainless steel profile legs
- » Stamped basins - dimension depend on table dimensions



lenght \ depth	Price without VAT (€)		
	600	700	800
1000	509	515	522
1100	515	522	528
1200	522	528	534
1300	528	534	541
1400	534	541	547

T-ADL-3 P

Double-sink with stamped basins with shelf

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stainless steel profile legs
- » Shelf 150 mm from ground
- » Stamped basins - dimension depend on table dimensions



lenght \ depth	Price without VAT (€)		
	600	700	800
1000	564	574	583
1100	575	584	594
1200	585	595	605
1300	596	606	615
1400	607	616	626

T-ADL-3 R

Double-sink with stamped basins with grid shelf

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stainless steel profile legs
- » Grid shelf 150 mm from ground
- » Stamped basins - dimension depend on table dimensions



lenght \ depth	Price without VAT (€)		
	600	700	800
1000	574	583	593
1100	585	595	605
1200	597	607	616
1300	609	618	628
1400	620	630	640

Accessories and additional payments on page C-26

T-AUS-1

Washing table

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basin 500x400x250 mm



lenght \ depth	Price without VAT (€)		
	600	700	800
800	372	383	392
900	380	391	400
1000	387	398	407
1100	395	406	415
1200	402	413	422
1300	410	421	430
1400	417	428	437
1500	425	436	445
1600	432	444	453
1700	440	451	460
1800	448	459	468
1900	455	466	475

T-AUSV-1

Long washing table

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basin 500x400x250 mm
- » 6 legs



lenght \ depth	Price without VAT (€)		
	600	700	800
2000	534	546	556
2100	545	557	567
2200	555	568	578
2300	566	579	589
2400	577	590	600
2500	588	600	610
2600	599	611	621
2700	609	622	632
2800	620	633	643

T-AUSP-1

Washing table with shelf

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basin 500x400x250 mm
- » Shelf 150 mm from ground



lenght \ depth	Price without VAT (€)		
	600	700	800
800	416	430	442
900	427	441	453
1000	439	453	465
1100	450	465	477
1200	462	476	488
1300	474	488	500
1400	485	499	511
1500	497	511	523
1600	508	522	534
1700	520	534	546
1800	531	545	557
1900	543	557	569

T-AUSPV-1

Long washing table with shelf

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basin 500x400x250 mm
- » Shelf 150 mm from ground
- » 6 legs



lenght \ depth	Price without VAT (€)		
	600	700	800
2000	618	633	646
2100	636	651	664
2200	653	669	682
2300	671	687	700
2400	689	705	718
2500	707	722	735
2600	724	740	753
2700	742	758	771
2800	760	776	789

Accessories and additional payments on page C-26

T-AUSR-1

Washing table with grid shelf

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basin 500x400x250 mm
- » Grid shelf 150 mm from ground



lenght \ depth	Price without VAT (€)		
	600	700	800
800	423	437	449
900	435	449	461
1000	448	462	474
1100	460	474	486
1200	473	487	499
1300	485	500	512
1400	498	512	524
1500	511	525	537
1600	523	537	549
1700	536	550	562
1800	548	562	574
1900	561	575	587

T-AUSRV-1

Long washing table with grid shelf

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basin 500x400x250 mm
- » Grid shelf 150 mm from ground
- » 6 legs



lenght \ depth	Price without VAT (€)		
	600	700	800
2000	644	660	673
2100	660	676	689
2200	676	692	705
2300	692	707	720
2400	707	723	736
2500	723	739	752
2600	739	755	768
2700	755	770	783
2800	770	786	799

T-AUS-1 Z

Washing table with drawer

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basin 500x400x250 mm
- » Drawer for GN 1/1



lenght \ depth	Price without VAT (€)		
	600	700	800
1000	417	428	437
1100	424	435	444
1200	432	443	452
1300	439	451	460
1400	447	458	467
1500	455	466	475
1600	462	473	482
1700	470	481	490
1800	477	488	497
1900	485	496	505

T-AUSV-1 Z

Long washing table with drawer

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basin 500x400x250 mm
- » Drawer for GN 1/1
- » 6 legs



lenght \ depth	Price without VAT (€)		
	600	700	800
2000	564	576	586
2100	574	587	597
2200	585	598	608
2300	596	608	618
2400	607	619	629
2500	617	630	640
2600	628	641	651
2700	639	652	662
2800	650	662	672

Accessories and additional payments on page C-26

T-AUSP-1 Z

Washing table with drawer

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basin 500x400x250 mm
- » Shelf 150 mm from ground
- » Drawer for GN 1/1



lenght \ depth	Price without VAT (€)		
	600	700	800
1000	469	483	495
1100	480	494	506
1200	492	506	518
1300	503	517	529
1400	515	529	541
1500	526	540	552
1600	538	552	564
1700	549	564	576
1800	561	575	587
1900	573	587	599

T-AUSPV-1 Z

Long washing table with drawer

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basin 500x400x250 mm
- » Shelf 150 mm from ground
- » Drawer for GN 1/1
- » 6 legs



lenght \ depth	Price without VAT (€)		
	600	700	800
2000	648	663	676
2100	665	681	694
2200	683	699	712
2300	701	716	729
2400	719	734	747
2500	736	752	765
2600	754	770	783
2700	772	788	801
2800	790	805	818

T-AUSR-1 Z

Washing table with drawer

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basin 500x400x250 mm
- » Grid shelf 150 mm from ground
- » Drawer for GN 1/1




lenght \ depth	Price without VAT (€)		
	600	700	800
1000	478	492	504
1100	490	504	516
1200	503	517	529
1300	515	529	541
1400	528	542	554
1500	540	554	566
1600	553	567	579
1700	565	579	591
1800	578	592	604
1900	590	604	616

T-AUSRV-1 Z

Long washing table with drawer

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basin 500x400x250 mm
- » Grid shelf 150 mm from ground
- » Drawer for GN 1/1
- » 6 legs



lenght \ depth	Price without VAT (€)		
	600	700	800
2000	674	690	703
2100	690	705	718
2200	706	721	734
2300	721	737	750
2400	737	753	766
2500	753	768	781
2600	769	784	797
2700	784	800	813
2800	800	816	829

Accessories and additional payments on page C-26

T-AUSD-1 S

Washing table with covers

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basin 500x400x250 mm
- » Two sides covers
- » Rolling doors



lenght \ depth	Price without VAT (€)		
	600	700	800
800	604	624	642
900	621	641	659
1000	637	657	675
1100	654	674	692
1200	670	690	708
1300	687	707	725
1400	703	723	741
1500	720	740	758
1600	736	757	775
1700	753	773	791
1800	769	790	808
1900	786	806	824

T-AUSDV-1 S

Long washing table with covers

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basin 500x400x250 mm
- » Two sides covers
- » Rolling doors
- » 6 legs



lenght \ depth	Price without VAT (€)		
	600	700	800
2000	866	888	907
2100	889	910	929
2200	912	933	952
2300	934	956	975
2400	957	979	998
2500	980	1 001	1 020
2600	1 003	1 024	1 043
2700	1 025	1 047	1 066
2800	1 048	1 070	1 089

T-AUSD-1

Washing table with covers

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basin 500x400x250 mm
- » Two sides covers
- » Standars doors



lenght \ depth	Price without VAT (€)		
	600	700	800
800	554	574	592
900	570	590	608
1000	587	607	625
1100	603	623	641
1200	620	640	658
1300	636	657	675
1400	653	673	691

Accessories and additional payments on page C-26

Washing tables with two basins

T-AUS-2

Washing table

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basins 500x400x250 mm



lenght \ depth	Price without VAT (€)		
	600	700	800
1100	539	550	559
1200	547	558	567
1300	554	565	574
1400	562	573	582
1500	569	581	590
1600	577	588	597
1700	585	596	605
1800	592	603	612
1900	600	611	620

T-AUSV-2

Long washing table

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basins 500x400x250 mm
- » 6 legs



lenght \ depth	Price without VAT (€)		
	600	700	800
2000	678	691	701
2100	689	702	712
2200	700	713	723
2300	711	723	733
2400	722	734	744
2500	732	745	755
2600	743	756	766
2700	754	767	777
2800	765	777	787

T-AUSP-2

Washing table with shelf

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basins 500x400x250 mm
- » Shelf 150 mm from ground



lenght \ depth	Price without VAT (€)		
	600	700	800
1100	595	609	621
1200	607	621	633
1300	618	632	644
1400	630	644	656
1500	641	655	667
1600	653	667	679
1700	664	678	690
1800	676	690	702
1900	687	702	714

T-AUSPV-2

Long washing table with shelf

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basins 500x400x250 mm
- » Shelf 150 mm from ground
- » 6 legs



lenght \ depth	Price without VAT (€)		
	600	700	800
2000	762	778	791
2100	780	796	809
2200	798	814	827
2300	816	831	844
2400	834	849	862
2500	851	867	880
2600	869	885	898
2700	887	902	915
2800	905	920	933

Accessories and additional payments on page C-26

T-AUSR-2

Washing table with grid shelf

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basins 500x400x250 mm
- » Grid shelf 150 mm from ground



lenght \ depth	Price without VAT (€)		
	600	700	800
1100	605	619	631
1200	617	632	644
1300	630	644	656
1400	643	657	669
1500	655	669	681
1600	668	682	694
1700	680	694	706
1800	693	707	719
1900	705	719	731

T-AUSRV-2

Long washing table with grid shelf

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basins 500x400x250 mm
- » Grid shelf 150 mm from ground
- » 6 legs



lenght \ depth	Price without VAT (€)		
	600	700	800
2000	789	805	818
2100	805	820	833
2200	821	836	849
2300	836	852	865
2400	852	868	881
2500	868	883	896
2600	884	899	912
2700	899	915	928
2800	915	931	944

T-AUS-2 Z

Washing table with drawer

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basins 500x400x250 mm
- » Drawer for GN 1/1



lenght \ depth	Price without VAT (€)		
	600	700	800
1500	599	610	619
1600	607	618	627
1700	614	625	634
1800	622	633	642
1900	629	641	650

T-AUSV-2 Z

Long washing table with drawer

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basins 500x400x250 mm
- » Drawer for GN 1/1
- » 6 legs



lenght \ depth	Price without VAT (€)		
	600	700	800
2000	708	721	731
2100	719	732	742
2200	730	742	752
2300	740	753	763
2400	751	764	774
2500	762	775	785
2600	773	785	795
2700	784	796	806
2800	794	807	817

Accessories and additional payments on page C-26

Washing tables s dvomi drezmi

T-AUSP-2 Z

Washing table with drawer

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basins 500x400x250 mm
- » Shelf 150 mm from ground
- » Drawer for GN 1/1




lenght \ depth	Price without VAT (€)		
	600	700	800
1500	671	685	697
1600	682	697	709
1700	694	708	720
1800	706	720	732
1900	717	731	743

T-AUSPV-2 Z

Long washing table with drawer

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basins 500x400x250 mm
- » Shelf 150 mm from ground
- » Drawer for GN 1/1
- » 6 legs



lenght \ depth	Price without VAT (€)		
	600	700	800
2000	792	808	821
2100	810	826	839
2200	828	843	856
2300	845	861	874
2400	863	879	892
2500	881	897	910
2600	899	914	927
2700	917	932	945
2800	934	950	963

T-AUSR-2 Z

Washing table with drawer

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basins 500x400x250 mm
- » Grid shelf 150 mm from ground
- » Drawer for GN 1/1



lenght \ depth	Price without VAT (€)		
	600	700	800
1500	685	699	711
1600	697	711	723
1700	710	724	736
1800	722	737	749
1900	735	749	761

T-AUSRV-2 Z

Long washing table with drawer

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basins 500x400x250 mm
- » Grid shelf 150 mm from ground
- » Drawer for GN 1/1
- » 6 legs



lenght \ depth	Price without VAT (€)		
	600	700	800
2000	819	834	847
2100	834	850	863
2200	850	866	879
2300	866	882	895
2400	882	897	910
2500	897	913	926
2600	913	929	942
2700	929	945	958
2800	945	960	973

Accessories and additional payments on page C-26

T-AUSD-2 S

Washing table with covers

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basins 500x400x250 mm
- » Two sides covers
- » Rolling doors




lenght \ depth	Price without VAT (€)		
	600	700	800
1100	798	818	836
1200	815	835	853
1300	831	852	870
1400	848	868	886
1500	864	885	903
1600	881	901	919
1700	898	918	936
1800	914	934	952
1900	931	951	969

T-AUSDV-2 S

Long washing table with covers

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basins 500x400x250 mm
- » Two sides covers
- » Rolling doors
- » 6 legs



lenght \ depth	Price without VAT (€)		
	600	700	800
2000	1 011	1 032	1 051
2100	1 033	1 055	1 074
2200	1 056	1 078	1 097
2300	1 079	1 100	1 119
2400	1 102	1 123	1 142
2500	1 124	1 146	1 165
2600	1 147	1 169	1 188
2700	1 170	1 191	1 210
2800	1 193	1 214	1 233

T-AUSD-2

Washing table with covers

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basins 500x400x250 mm
- » Two sides covers
- » Standars doors



lenght \ depth	Price without VAT (€)		
	600	700	800
1100	748	768	786
1200	765	785	803
1300	781	801	819
1400	798	818	836

Washing tables for dishwashers

► T-AVSD-1

Pre-washing table

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basin 500x400x250 mm
- » Support for dishwasher - depend od dishwasher model



lenght \ depth	Price without VAT (€)		
	600	700	800
800	412	423	432
900	419	430	439
1000	427	438	447
1100	434	446	455
1200	442	453	462
1300	450	461	470
1400	457	468	477
1500	465	476	485
1600	472	483	492
1700	480	491	500
1800	487	498	507
1900	495	506	515

► T-AVSD-1 P

Pre-washing table

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basin 500x400x250 mm
- » Shelf 150 mm from ground
- » Support for dishwasher - depend od dishwasher model



lenght \ depth	Price without VAT (€)		
	600	700	800
800	456	470	482
900	467	481	493
1000	479	493	505
1100	490	504	516
1200	502	516	528
1300	513	527	539
1400	525	539	551
1500	536	551	563
1600	548	562	574
1700	560	574	586
1800	571	585	597
1900	583	597	609

► T-AVSD-1 R

Pre-washing table

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Stamped basin 500x400x250 mm
- » Grid shelf 150 mm from ground
- » Support for dishwasher - depend od dishwasher model



lenght \ depth	Price without VAT (€)		
	600	700	800
800	463	477	489
900	475	489	501
1000	488	502	514
1100	500	514	526
1200	513	527	539
1300	525	539	551
1400	538	552	564
1500	550	564	576
1600	563	577	589
1700	575	590	602
1800	588	602	614
1900	601	615	627

► Accessories and additional payments on page C-26

T-AVS-1

Output table

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Support for dishwasher - depend od dishwasher model



lenght \ depth	Price without VAT (€)		
	600	700	800
800	247	258	267
900	255	266	275
1000	262	273	282
1100	270	281	290
1200	278	289	298
1300	285	296	305
1400	293	304	313
1500	300	311	320
1600	308	319	328
1700	315	326	335
1800	323	334	343
1900	330	342	351

T-AVS-1 P

Output table

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Shelf 150 mm from ground
- » Support for dishwasher - depend od dishwasher model



lenght \ depth	Price without VAT (€)		
	600	700	800
800	291	305	317
900	303	317	329
1000	314	328	340
1100	326	340	352
1200	337	351	363
1300	349	363	375
1400	360	374	386
1500	372	386	398
1600	383	398	410
1700	395	409	421
1800	407	421	433
1900	418	432	444

T-AVS-1 R

Output table

- » Made from stainless steel EN 17241
- » Standard height 850 mm
- » Iron thickness 1.25 mm
- » Working desk thickness 50 mm
- » Splash back 40 mm
- » Leg adjustment + 45 mm
- » Grid shelf 150 mm from ground
- » Support for dishwasher - depend od dishwasher model



lenght \ depth	Price without VAT (€)		
	600	700	800
800	298	312	324
900	311	325	337
1000	323	337	349
1100	336	350	362
1200	348	362	374
1300	361	375	387
1400	373	387	399
1500	386	400	412
1600	398	412	424
1700	411	425	437
1800	423	438	450
1900	436	450	462

Accessories and additional payments on page C-26

Bucket sinks and hand-wash sinks

T-AVK - 1

Bucket sink

- » Made from stainless steel EN 17241
- » removable grid
- » Standard height 650 mm



					HW + CW earth drain
dimensions WxDxH		500 x 700 x 650 mm			

299 €

➤ T-AVK - 2

Bucket sink with hand-wash basin

- » Made from stainless steel EN 17241
- » removable grid
- » Standard height 850 mm
- » Sing bid included



					HW + CW earth drain
dimensions WxDxH		500 x 700 x 850 mm			

398 €

➤ T-AVK - 3

Bucket sink with hand-wash basin

- » Made from stainless steel EN 17241
- » removable grid
- » Standard height 120 mm
- » Sing bid included




					HW + CW earth drain
dimensions WxDxH		500 x 700 x 1200 mm			

449 €

T-AZU

Hand-wash sink

- » Made from stainless steel EN 17241
- » Sing bid included




					HW + CW odpad Ø 50
dimensions WxDxH		450 x 320 x 250 mm			

186 €

T-ZDKB

Hand-wash sink with knee valve

- » Made from stainless steel EN 17241
- » knee valve included



					HW + CW odpad Ø 50
dimensions WxDxH		330 x 350 x 350 mm			

186 €

➤ **Accessories and additional payments on page C-26**

Covers for tables

Long side covers

- » Made from stainless steel EN 17241
- » Iron thickness 1 mm



Long side bottom cover (socle)

- » Made from stainless steel EN 17241
- » Iron thickness 1 mm




Short side covers

- » Made from stainless steel EN 17241
- » Iron thickness 1 mm



Short side bottom cover (socle)

- » Made from stainless steel EN 17241
- » Iron thickness 1 mm



Doors for tables

Rolling doors

- » Made from stainless steel EN 17241
- » Iron thickness 0.8 mm
- » Price for complete set (1 pair)



Standard doors

- » Made from stainless steel EN 17241
- » Iron thickness 0.8 mm
- » Price for complete set (1 pair)



lenght	Price without VAT (€)	
	cover	socle
800	35	21
900	38	24
1000	41	27
1100	44	30
1200	47	33
1300	50	36
1400	53	39
1500	56	42
1600	59	45
1700	62	48
1800	65	51
1900	68	54
2000	71	57
2100	74	60
2200	77	63
2300	80	66
2400	83	69
2500	86	72
2600	89	75
2700	92	78
2800	95	81

lenght	Price without VAT (€)	
	cover	socle
600	29	15
700	32	18
800	35	21

lenght	Price without VAT (€)	
	rolling	standard
600	121	71
700	126	76
800	131	81
900	136	86
1000	141	91
1100	146	96
1200	151	101
1300	156	106
1400	161	111
1500	166	116
1600	171	-
1700	176	-
1800	181	-
1900	186	-
2000	191	-
2100	196	-
2200	201	-
2300	206	-
2400	211	-
2500	216	-
2600	221	-
2700	226	-
2800	231	-

Accessories and additional payments

T-SZPP

Drawer

- » Made from stainless steel EN 17241
- » Support for GN 1/1



51 €

➤ T-BZ

Vertical drawers set

- » Made from stainless steel EN 17241
- » 3 x vertical drawer for GN 1/1



152 €

➤ T-BK

Waste basket unit

- » Made from stainless steel EN 17241
- » Stainless steel waste basket



126 €

T-BGN

Support for GN unit

- » Made from stainless steel EN 17241
- » Leads for GN 1/1



31 €

T-BKU

Support for washing baskets unit

- » Made from stainless steel EN 17241
- » Leads for washing baskets



32 €

➤ T-ZPK - 1

Drawer base for coffee machines

- » Made from stainless steel EN 17241
- » Height 190 mm
- » Heavy duty plastic bar for knocking clean and gastronorm container
- » Build in table on request



dimensions WxDxH		400 x 640 x 190 mm			

Individual dimensions, depend on coffee machine dimension

144 €

T-ZPK - 2

Double-drawer base for coffee machines

- » Made from stainless steel EN 17241
- » Height 190 mm
- » Heavy duty plastic bar for knocking clean and gastronom container
- » Second drawer for storage
- » Build in table on request



dimensions WxDxH		800 x 640 x 190 mm			

Individual dimensions, depend on coffee machine dimension

260 €

Other payments

description	Price without VAT (€)
Hole for Sink bib	2
Splash back 40 mm	7
Splash back 100 mm	12
Side rim 40 mm	3,5
Hole d-92 mm for disposer	8
Waste hole Ø 200 mm	15

Stamped basins

Other dimensions stamped basins

» Washing tables standard includes basins 500x400x250 mm

Other basin dimension calculation

- count off basin 500x400x250

+ add new basin from table

dimensions	Price without VAT (€)
340 x 340 mm, depth 170 mm	125
340 x 400 mm, depth 200 mm	125
400 x 400 mm, depth 250 mm	128
400 x 400 mm, depth 300 mm	128
500 x 400 mm, depth 250 mm	145
500 x 400 mm, depth 300 mm	145
500 x 500 mm, depth 300 mm	169
600 x 500 mm, depth 300 mm	193
960 x 510 mm, depth 300 mm	355

Stench-trap

Double stench-trap

Stench-trap for bucket sink

Sing bib



8 €

16 €

19 €

35 €

Stainless steel and thickness

Component	Working tables		Washing tables	
	material	thickness	material	thickness
Working desk	AISI 304	1 mm	AISI 304	1.25 mm
Desk stiffener	impregnated chipboard	18 mm	impregnated chipboard	18 mm
Legs	AISI 430	profile 40x40 mm thickness 1.25 mm	AISI 430	profile 40x40 mm thickness 1.25 mm
Shelves and stiffeners	AISI 430	1 mm	AISI 430	1 mm
Covers	AISI 430	1 mm	AISI 430	1 mm
Doors, drawers	AISI 430	1 mm	AISI 430	1 mm

► T-SPJ - 4

Rack with shelves

- » Made from stainless steel EN 17241
- » Standard height 1800 mm
- » Iron thickness 1 mm
- » Carrying capacity 80 kg / shelf
- » Leg adjustment + 45 mm
- » 4 standard shelves with stiffener



lenght \ depth	Price without VAT (€)		
	400	500	600
800	242 €	260 €	277 €
900	257 €	274 €	292 €
1000	271 €	289 €	306 €
1100	286 €	303 €	321 €
1200	300 €	318 €	335 €
1300	315 €	332 €	350 €
1400	329 €	347 €	364 €
1500	344 €	361 €	379 €
1600	358 €	376 €	393 €
1700	373 €	390 €	408 €
1800	387 €	405 €	422 €

► T-SPJ - 5

Rack with shelves

- » Made from stainless steel EN 17241
- » Standard height 1800 mm
- » Iron thickness 1 mm
- » Carrying capacity 80 kg / shelf
- » Leg adjustment + 45 mm
- » 5 standard shelves with stiffener



lenght \ depth	Price without VAT (€)		
	400	500	600
800	263 €	280 €	298 €
900	277 €	295 €	312 €
1000	292 €	309 €	327 €
1100	306 €	324 €	341 €
1200	321 €	338 €	356 €
1300	335 €	353 €	370 €
1400	350 €	367 €	385 €
1500	364 €	382 €	399 €
1600	379 €	396 €	414 €
1700	393 €	411 €	428 €
1800	408 €	425 €	443 €

► T-SPJ - 4 R

Rack with grid shelves

- » Made from stainless steel EN 17241
- » Standard height 1800 mm
- » Iron thickness 1 mm
- » Carrying capacity 80 kg / shelf
- » Leg adjustment + 45 mm
- » 4 grid shelves



lenght \ depth	Price without VAT (€)		
	400	500	600
800	305 €	322 €	339 €
900	322 €	339 €	357 €
1000	339 €	357 €	374 €
1100	357 €	374 €	392 €
1200	374 €	392 €	409 €
1300	392 €	409 €	426 €
1400	409 €	426 €	444 €
1500	426 €	444 €	461 €
1600	444 €	461 €	479 €
1700	461 €	479 €	496 €
1800	479 €	496 €	513 €

► T-SPJ - 5 R

Rack with grid shelves

- » Made from stainless steel EN 17241
- » Standard height 1800 mm
- » Iron thickness 1 mm
- » Carrying capacity 80 kg / shelf
- » Leg adjustment + 45 mm
- » 5 grid shelves



lenght \ depth	Price without VAT (€)		
	400	500	600
800	345 €	368 €	392 €
900	363 €	386 €	409 €
1000	380 €	403 €	426 €
1100	397 €	421 €	444 €
1200	415 €	438 €	461 €
1300	432 €	455 €	479 €
1400	450 €	473 €	496 €
1500	467 €	490 €	513 €
1600	484 €	508 €	531 €
1700	502 €	525 €	548 €
1800	519 €	542 €	566 €

T-SPJ - 4 K

Covered rack

- » Made from stainless steel EN 17241
- » Standard height 1800 mm
- » Iron thickness 1 mm
- » Carrying capacity 80 kg / shelf
- » Leg adjustment + 45 mm
- » 3 side covers
- » 4 standard shelves with stiffener



T-SPJ - 5 K

Covered rack

- » Made from stainless steel EN 17241
- » Standard height 1800 mm
- » Iron thickness 1 mm
- » Carrying capacity 80 kg / shelf
- » Leg adjustment + 45 mm
- » 3 side covers
- » 5 standard shelves with stiffener



T-PZ - 1

Cupboard with rolling doors

- » Made from stainless steel EN 17241
- » Standard height 1800 mm
- » Iron thickness 1 mm
- » Carrying capacity 80 kg / shelf
- » Leg adjustment + 45 mm
- » 3 side covers
- » 4 standard shelves with stiffener
- » 2 x Rolling doors



T-PZ - 2

Cupboard with standard doors

- » Made from stainless steel EN 17241
- » Standard height 1800 mm
- » Iron thickness 1 mm
- » Carrying capacity 80 kg / shelf
- » Leg adjustment + 45 mm
- » 3 side covers
- » 4 standard shelves with stiffener
- » 2 x Standard doors



lenght \ depth	Price without VAT (€)		
	400	500	600
800	347 €	376 €	406 €
900	369 €	398 €	427 €
1000	390 €	420 €	449 €
1100	412 €	441 €	471 €
1200	434 €	463 €	492 €
1300	455 €	485 €	514 €
1400	477 €	506 €	536 €
1500	499 €	528 €	557 €
1600	520 €	550 €	579 €
1700	542 €	571 €	601 €
1800	564 €	593 €	623 €

lenght \ depth	Price without VAT (€)		
	400	500	600
800	367 €	396 €	426 €
900	389 €	418 €	448 €
1000	411 €	440 €	469 €
1100	432 €	462 €	491 €
1200	454 €	483 €	513 €
1300	476 €	505 €	534 €
1400	497 €	527 €	556 €
1500	519 €	548 €	578 €
1600	541 €	570 €	599 €
1700	562 €	592 €	621 €
1800	584 €	613 €	643 €

lenght \ depth	Price without VAT (€)	
	600	
1000	876 €	
1100	885 €	
1200	893 €	
1300	902 €	
1400	911 €	
1500	919 €	
1600	928 €	
1700	937 €	
1800	945 €	

lenght \ depth	Price without VAT (€)	
	600	
1000	789 €	
1100	798 €	
1200	806 €	
1300	815 €	
1400	824 €	
1500	832 €	
1600	841 €	
1700	850 €	
1800	858 €	

T-JZP - 1

Wall shelf

- » Made from stainless steel EN 17241
- » Depth 350 mm



T-JZP - 2

Wall double-shelf

- » Made from stainless steel EN 17241
- » Depth 350 mm
- » Pitch between shelves 300 mm



T-JZP - 1 R

Wall grid shelf

- » Made from stainless steel EN 17241
- » Depth 350 mm



T-JZP - 2 R

Wall grid double-shelf

- » Made from stainless steel EN 17241
- » Depth 350 mm
- » Pitch between shelves 300 mm



T-JZP - 1 K

Wall shelf with spice boxes

- » Made from stainless steel EN 17241
- » Depth 350 mm
- » 5 x GN 1/9 - 100 mm included



T-JZP - 2 K

Wall double-shelf with spice boxes

- » Made from stainless steel EN 17241
- » Depth 350 mm
- » Pitch between shelves 300 mm
- » 5 x GN 1/9 - 100 mm included



T-ASP - 1

Table shelf

- » Made from stainless steel EN 17241
- » Depth 350 mm
- » 400 mm from working desk



T-ASP - 2

Table double-shelf

- » Made from stainless steel EN 17241
- » Depth 350 mm
- » 400 mm from working desk
- » Pitch between shelves 300 mm



lenght	model	Price without VAT (€)	
		T-JZP - 1	T-JZP - 2
800		73 €	150 €
900		76 €	153 €
1000		79 €	156 €
1100		82 €	159 €
1200		85 €	162 €
1300		88 €	165 €
1400		91 €	168 €
1500		94 €	171 €
1600		97 €	174 €
1700		100 €	177 €
1800		103 €	180 €

lenght	model	Price without VAT (€)	
		T-JZP - 1 R	T-JZP - 2 R
800		120 €	183 €
900		123 €	186 €
1000		126 €	189 €
1100		129 €	192 €
1200		132 €	195 €
1300		135 €	198 €
1400		138 €	201 €
1500		141 €	204 €
1600		144 €	207 €
1700		147 €	210 €
1800		150 €	213 €


lenght	model	Price without VAT (€)	
		T-JZP - 1 K	T-JZP - 2 K
800		139 €	210 €
900		142 €	213 €
1000		145 €	216 €
1100		148 €	219 €
1200		151 €	222 €
1300		154 €	225 €
1400		157 €	228 €
1500		160 €	231 €
1600		163 €	234 €
1700		166 €	237 €
1800		169 €	240 €

lenght	model	Price without VAT (€)	
		T-ASP - 1	T-ASP - 2
800		78 €	122 €
900		82 €	126 €
1000		85 €	131 €
1100		88 €	136 €
1200		91 €	141 €
1300		94 €	146 €
1400		98 €	150 €
1500		101 €	155 €
1600		104 €	160 €
1700		107 €	165 €
1800		110 €	170 €

T-TPK - K

Sorter shelf for washing baskets


- » Made from stainless steel EN 17241
- » For pre-washing preparation
- » Shelf for baskets to 500x500 mm



T-TPK - R

Sorter grid shelf for washing baskets


- » Made from stainless steel EN 17241
- » For pre-washing preparation
- » Grid shelf for baskets to 500x500 mm



T-ASN - 1

Wall cabinet

- » Made from stainless steel EN 17241
- » Standard height 700 mm
- » Adjustable shelf



T-ASN - 2

Wall cabinet with standard doors


- » Made from stainless steel EN 17241
- » Standard height 700 mm
- » Adjustable shelf
- » Standard doors



T-ASN - 3

Wall cabinet with rolling doors

- » Made from stainless steel EN 17241
- » Standard height 700 mm
- » Adjustable shelf
- » Rolling doors



lenght	model	Price without VAT (€)	
		T-TPK - K	T-TPK - R
800		69 €	72 €
900		72 €	75 €
1000		75 €	78 €
1100		78 €	81 €
1200		81 €	84 €
1300		84 €	87 €
1400		87 €	90 €
1500		90 €	93 €
1600		93 €	96 €
1700		96 €	99 €
1800		99 €	102 €

lenght	depth	Price without VAT (€)
		350
800		197 €
900		203 €
1000		209 €
1100		215 €
1200		221 €
1300		227 €
1400		233 €
1500		239 €
1600		245 €
1700		251 €
1800		257 €

lenght	depth	Price without VAT (€)
		350
800		260 €
900		266 €
1000		272 €
1100		278 €
1200		284 €
1300		290 €
1400		296 €
1500		302 €
1600		308 €
1700		314 €
1800		320 €

lenght	depth	Price without VAT (€)
		350
800		281 €
900		288 €
1000		295 €
1100		302 €
1200		309 €
1300		316 €
1400		323 €
1500		330 €
1600		337 €
1700		344 €
1800		351 €

► T-DVJ - 1

Handling trolley

- » Made from stainless steel EN 17241
- » Shelf with stiffener
- » 4 x wheel Ø 125 mm (2 with brake)
- » Carrying capacity 120 kg



dimensions WxDxH			900 x 500 x 850 mm		

186 €

► T-DVJ - 2

Waiting table

- » Made from stainless steel EN 17241
- » 2 shelves with stiffener
- » 4 x wheel Ø 125 mm (2 with brake)
- » Carrying capacity 50 kg / polica



dimensions WxDxH			900 x 500 x 850 mm		

221 €

► T-DVJ - 3

Waiting table

- » Made from stainless steel EN 17241
- » 3 shelves with stiffener
- » 4 x wheel Ø 125 mm (2 with brake)
- » Carrying capacity 50 kg / polica



dimensions WxDxH			900 x 500 x 850 mm		

262 €

► T-SP - 1 GN

Trolley for gastronorm containers

- » Made from stainless steel EN 17241
- » Lead for GN 1/1 a GN 2/1
- » 4 x wheel Ø 125 mm (2 with brake)



dimensions WxDxH			570 x 650 x 1600 mm		

320 €

► T-SP - 2 GN

Trolley for gastronorm containers

- » Made from stainless steel EN 17241
- » Lead for GN 1/1 a GN 2/1
- » 4 x wheel Ø 125 mm (2 with brake)
- » Dual line version



dimensions WxDxH			1100 x 650 x 1600 mm		

544 €

► T-SP - 3 GN

Trolley for gastronorm containers

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Lead for GN 1/1 a GN 2/1
- » 4 x wheel Ø 125 mm (2 with brake)



dimensions WxDxH			580 x 680 x 850 mm		

238 €

► T-SP - 4 GN

Trolley for gastronorm containers

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Vedenie pre GN 1/1
- » 4 x wheel Ø 125 mm (2 with brake)
- » Dual line version




dimensions WxDxH			740 x 550 x 850 mm		

302 €

T-PPK - 1

Stand for convection oven

- » Made from stainless steel EN 17241
- » Lead for GN GN 1/1 - 1/2 - 2/3 - 1/3
- » Leg adjustment + 45 mm



dimensions WxDxH			900 x 700 x 850 mm		

* dimension will be different, depend od type of convection oven

202 €

T-PPK - 2

Stand for convection oven

- » Made from stainless steel EN 17241
- » Lead for GN GN 1/1 - 1/2 - 2/3 - 1/3
- » Leg adjustment + 45 mm
- » Dual line version



dimensions WxDxH			900 x 700 x 850 mm		

* dimension will be different, depend od type of convection oven

234 €

Refrigerated counters for GN

T-PG1 0/1

Refrigerated counter

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PG1 0/1 L - cooling unit on left

T-PG1 0/1 P - cooling unit on right



T-PGD1 0/1

Refrigerated counter with sink

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGD1 0/1 L - cooling unit on left

T-PGD1 0/1 P - cooling unit on right



T-PGV1 0/1

Refrigerated counter with cold basin

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGV1 0/1 L - cooling unit on left

T-PGV1 0/1 P - cooling unit on right



T-PG1 3/0

Refrigerated counter

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PG1 3/0 L - cooling unit on left

T-PG1 3/0 P - cooling unit on right



T-PGD1 3/0

Refrigerated counter with sink

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGD1 3/0 L - cooling unit on left

T-PGD1 3/0 P - cooling unit on right



T-PGV1 3/0

Refrigerated counter with cold basin

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGV1 3/0 L - cooling unit on left

T-PGV1 3/0 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
920	1 581	1 645	1 709

1 x doors
lead for GN

0,4 kW 230 V			
dimensions WxDxH	920 x depth x 900 mm		

depth	GN	volume (l)
600	2/3 - 1/3	154
700	1/1 - 2/3 - 1/3	186
800	1/1 - 2/3 - 1/3	218

depth length	Price without VAT (€)		
	600	700	800
920	1 653	1 725	1 798

1 x doors
lead for GN
sink over cooling unit

0,4 kW 230 V			
dimensions WxDxH	920 x depth x 900 mm		

depth	sink	volume (l)
600	GN 2/3	154
700	307x510x215	186
800	307x510x215	218

depth length	Price without VAT (€)		
	600	700	800
990	1 815	1 887	1 959

1 x doors
lead for GN
cold basin for GN

0,4 kW 230 V			
dimensions WxDxH	990 x depth x 900 mm		

depth	basin	volume (l)
600	2/3	154
700	1/1	186
800	1/1	218

depth length	Price without VAT (€)		
	600	700	800
920	1 836	1 900	1 964

3 x drawer
lead for GN

0,4 kW 230 V			
dimensions WxDxH	920 x depth x 900 mm		

depth	GN	volume (l)
600	2/3 - 1/3	154
700	1/1 - 2/3 - 1/3	186
800	1/1 - 2/3 - 1/3	218

depth length	Price without VAT (€)		
	600	700	800
920	1 908	1 980	2 053

3 x drawer
lead for GN
sink over cooling unit

0,4 kW 230 V			
dimensions WxDxH	920 x depth x 900 mm		

depth	sink	volume (l)
600	GN 2/3	154
700	307x510x215	186
800	307x510x215	218

depth length	Price without VAT (€)		
	600	700	800
990	2 069	2 142	2 214

3 x drawer
lead for GN
cold basin for GN

0,4 kW 230 V			
dimensions WxDxH	990 x depth x 900 mm		

depth	basin	volume (l)
600	2/3	154
700	1/1	186
800	1/1	218

T-PG2 0/2

Refrigerated counter

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PG2 0/2 L - cooling unit on left

T-PG2 0/2 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1300	1 964	2 063	2 161



2 x doors
lead for GN

0,4 kW 230 V			
dimensions WxDxH	1300 x depth x 900 mm		

depth	GN	volume (l)
600	2/3 - 1/3	280
700	1/1 - 2/3 - 1/3	338
800	1/1 - 2/3 - 1/3	396

T-PGD2 0/2

Refrigerated counter with sink

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGD2 0/2 L - cooling unit on left

T-PGD2 0/2 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1300	2 036	2 143	2 250



2 x doors
lead for GN
sink over cooling unit

0,4 kW 230 V			
dimensions WxDxH	1300 x depth x 900 mm		

depth	sink	volume (l)
600	GN 2/3	280
700	307x510x215	338
800	307x510x215	396

T-PGV2 0/2

Refrigerated counter with cold basin

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGV2 0/2 L - cooling unit on left

T-PGV2 0/2 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1370	2 198	2 305	2 411



2 x doors
lead for GN
cold basin for GN

0,4 kW 230 V			
dimensions WxDxH	1370 x depth x 900 mm		

depth	basin	volume (l)
600	2/3	280
700	1/1	338
800	1/1	396

T-PG2 3/1

Refrigerated counter

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PG2 3/1 L - cooling unit on left

T-PG2 3/1 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1300	2 219	2 317	2 416



3 x drawer
1 x doors
lead for GN

0,4 kW 230 V			
dimensions WxDxH	1300 x depth x 900 mm		

depth	GN	volume (l)
600	2/3 - 1/3	280
700	1/1 - 2/3 - 1/3	338
800	1/1 - 2/3 - 1/3	396

T-PGD2 3/1

Refrigerated counter with sink

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGD2 3/1 L - cooling unit on left

T-PGD2 3/1 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1300	2 291	2 398	2 505



3 x drawer
1 x doors
lead for GN
sink over cooling unit

0,4 kW 230 V			
dimensions WxDxH	1300 x depth x 900 mm		

depth	sink	volume (l)
600	GN 2/3	280
700	307x510x215	338
800	307x510x215	396

T-PGV2 3/1

Refrigerated counter with cold basin

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGV2 3/1 L - cooling unit on left

T-PGV2 3/1 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1370	2 453	2 559	2 666



3 x drawer
1 x doors
lead for GN
cold basin for GN

0,4 kW 230 V			
dimensions WxDxH	1370 x depth x 900 mm		

depth	basin	volume (l)
600	2/3	280
700	1/1	338
800	1/1	396

T-PG2 6/0

Refrigerated counter

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PG2 6/0 L - cooling unit on left

T-PG2 6/0 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1300	2 473	2 572	2 671



6 x drawer
lead for GN

0,4 kW 230 V			
dimensions WxDxH	1300 x depth x 900 mm		

depth	GN	volume (l)
600	2/3 - 1/3	280
700	1/1 - 2/3 - 1/3	338
800	1/1 - 2/3 - 1/3	396

T-PGD2 6/0

Refrigerated counter with sink

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGD2 6/0 L - cooling unit on left

T-PGD2 6/0 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1300	2 546	2 653	2 759



6 x drawer
lead for GN
sink over cooling unit

0,4 kW 230 V			
dimensions WxDxH	1300 x depth x 900 mm		

depth	sink	volume (l)
600	GN 2/3	280
700	307x510x215	338
800	307x510x215	396

T-PGV2 6/0

Refrigerated counter with cold basin

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGV2 6/0 L - cooling unit on left

T-PGV2 6/0 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1370	2 707	2 814	2 921



6 x drawer
lead for GN
cold basin for GN

0,4 kW 230 V			
dimensions WxDxH	1370 x depth x 900 mm		

depth	basin	volume (l)
600	2/3	280
700	1/1	338
800	1/1	396

T-PG3 0/3

Refrigerated counter

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PG3 0/3 L - cooling unit on left

T-PG3 0/3 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1720	2 257	2 380	2 504



3 x doors
lead for GN

0,4 kW 230 V			
dimensions WxDxH	1720 x depth x 900 mm		

depth	GN	volume (l)
600	2/3 - 1/3	419
700	1/1 - 2/3 - 1/3	507
800	1/1 - 2/3 - 1/3	594

T-PGD3 0/3

Refrigerated counter with sink

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGD3 0/3 L - cooling unit on left

T-PGD3 0/3 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1720	2 330	2 461	2 592



3 x doors
lead for GN
sink over cooling unit

0,4 kW 230 V			
dimensions WxDxH	1720 x depth x 900 mm		

depth	sink	volume (l)
600	GN 2/3	419
700	307x510x215	507
800	307x510x215	594

T-PGV3 0/3

Refrigerated counter with cold basin

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGV3 0/3 L - cooling unit on left

T-PGV3 0/3 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1790	2 491	2 622	2 754



3 x doors
lead for GN
cold basin for GN

0,4 kW 230 V			
dimensions WxDxH	1790 x depth x 900 mm		

depth	basin	volume (l)
600	2/3	419
700	1/1	507
800	1/1	594

T-PG3 3/2

Refrigerated counter

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PG3 3/2 L - cooling unit on left

T-PG3 3/2 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1720	2 512	2 635	2 758



3 x drawer
2 x doors
lead for GN

0,4 kW 230 V			
dimensions WxDxH	1720 x depth x 900 mm		

depth	GN	volume (l)
600	2/3 - 1/3	419
700	1/1 - 2/3 - 1/3	507
800	1/1 - 2/3 - 1/3	594

T-PGD3 3/2

Refrigerated counter with sink

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGD3 3/2 L - cooling unit on left

T-PGD3 3/2 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1720	2 584	2 716	2 847



3 x drawer
2 x doors
lead for GN
sink over cooling unit

0,4 kW 230 V			
dimensions WxDxH	1720 x depth x 900 mm		

depth	sink	volume (l)
600	GN 2/3	419
700	307x510x215	507
800	307x510x215	594

T-PGV3 3/2

Refrigerated counter with cold basin

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGV3 3/2 L - cooling unit on left

T-PGV3 3/2 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1790	2 746	2 877	3 008



3 x drawer
2 x doors
lead for GN
cold basin for GN

0,4 kW 230 V			
dimensions WxDxH	1790 x depth x 900 mm		

depth	basin	volume (l)
600	2/3	419
700	1/1	507
800	1/1	594

T-PG3 6/1

Refrigerated counter

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PG3 6/1 L - cooling unit on left

T-PG3 6/1 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1720	2 767	2 890	3 013



6 x drawer
1 x doors
lead for GN

0,4 kW 230 V			
dimensions WxDxH	1720 x depth x 900 mm		

depth	GN	volume (l)
600	2/3 - 1/3	419
700	1/1 - 2/3 - 1/3	507
800	1/1 - 2/3 - 1/3	594

T-PGD3 6/1

Refrigerated counter with sink

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGD3 6/1 L - cooling unit on left

T-PGD3 6/1 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1720	2 839	2 970	3 102



6 x drawer
1 x doors
lead for GN
sink over cooling unit

0,4 kW 230 V			
dimensions WxDxH	1720 x depth x 900 mm		

depth	sink	volume (l)
600	GN 2/3	419
700	307x510x215	507
800	307x510x215	594

T-PGV3 6/1

Refrigerated counter with cold basin

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGV3 6/1 L - cooling unit on left

T-PGV3 6/1 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1790	3 001	3 132	3 263



6 x drawer
1 x doors
lead for GN
cold basin for GN

0,4 kW 230 V			
dimensions WxDxH	1790 x depth x 900 mm		

depth	basin	volume (l)
600	2/3	419
700	1/1	507
800	1/1	594

T-PG3 9/0

Refrigerated counter

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PG3 9/0 L - cooling unit on left

T-PG3 9/0 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1720	3 022	3 145	3 268



9 x drawer
lead for GN

0,4 kW 230 V			
dimensions WxDxH	1720 x depth x 900 mm		

depth	GN	volume (l)
600	2/3 - 1/3	419
700	1/1 - 2/3 - 1/3	507
800	1/1 - 2/3 - 1/3	594

T-PGD3 9/0

Refrigerated counter with sink

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGD3 9/0 L - cooling unit on left

T-PGD3 9/0 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1720	3 094	3 225	3 356



9 x drawer
lead for GN
sink over cooling unit

0,4 kW 230 V			
dimensions WxDxH	1720 x depth x 900 mm		

depth	sink	volume (l)
600	GN 2/3	419
700	307x510x215	507
800	307x510x215	594


T-PGV3 9/0

Refrigerated counter with cold basin

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGV3 9/0 L - cooling unit on left

T-PGV3 9/0 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1790	3 255	3 387	3 518



9 x drawer
lead for GN
cold basin for GN

0,4 kW 230 V			
dimensions WxDxH	1790 x depth x 900 mm		

depth	basin	volume (l)
600	2/3	419
700	1/1	507
800	1/1	594

T-PG4 0/4

Refrigerated counter

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PG4 0/4 L - cooling unit on left

T-PG4 0/4 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
2140	2 683	2 831	2 978



4 x doors
lead for GN

0,4 kW 230 V			
dimensions WxDxH	2140 x depth x 900 mm		

depth	GN	volume (l)
600	2/3 - 1/3	559
700	1/1 - 2/3 - 1/3	676
800	1/1 - 2/3 - 1/3	792

T-PGD4 0/4

Refrigerated counter with sink

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGD4 0/4 L - cooling unit on left

T-PGD4 0/4 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
2140	2 756	2 911	3 067



4 x doors
lead for GN
sink over cooling unit

0,4 kW 230 V			
dimensions WxDxH	2140 x depth x 900 mm		

depth	sink	volume (l)
600	GN 2/3	559
700	307x510x215	676
800	307x510x215	792

T-PGV4 0/4

Refrigerated counter with cold basin

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGV4 0/4 L - cooling unit on left

T-PGV4 0/4 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
2210	2 781	2 937	3 092



4 x doors
lead for GN
cold basin for GN

0,4 kW 230 V			
dimensions WxDxH	2210 x depth x 900 mm		

depth	basin	volume (l)
600	2/3	559
700	1/1	676
800	1/1	792

Refrigerated counters for GN

T-PG4 3/3

Refrigerated counter

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PG4 3/3 L - cooling unit on left

T-PG4 3/3 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
2140	2 938	3 085	3 233



3 x drawer

3 x doors

lead for GN

0,4 kW 230 V			
dimensions WxDxH	2140 x depth x 900 mm		

depth	GN	volume (l)
600	2/3 - 1/3	559
700	1/1 - 2/3 - 1/3	676
800	1/1 - 2/3 - 1/3	792

T-PGD4 3/3

Refrigerated counter with sink

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGD4 3/3 L - cooling unit on left

T-PGD4 3/3 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
2140	3 011	3 166	3 321



3 x drawer

3 x doors

lead for GN

sink over cooling unit

0,4 kW 230 V			
dimensions WxDxH	2140 x depth x 900 mm		

depth	sink	volume (l)
600	GN 2/3	559
700	307x510x215	676
800	307x510x215	792

T-PGV4 3/3

Refrigerated counter with cold basin

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGV4 3/3 L - cooling unit on left

T-PGV4 3/3 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
2210	3 036	3 191	3 347



3 x drawer

3 x doors

lead for GN

cold basin for GN

0,4 kW 230 V			
dimensions WxDxH	2210 x depth x 900 mm		

depth	basin	volume (l)
600	2/3	559
700	1/1	676
800	1/1	792

T-PG4 6/2

Refrigerated counter

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PG4 6/2 L - cooling unit on left

T-PG4 6/2 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
2140	3 193	3 340	3 488



6 x drawer

2 x doors

lead for GN

0,4 kW 230 V			
dimensions WxDxH	2140 x depth x 900 mm		

depth	GN	volume (l)
600	2/3 - 1/3	559
700	1/1 - 2/3 - 1/3	676
800	1/1 - 2/3 - 1/3	792


T-PGD4 6/2

Refrigerated counter with sink

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGD4 6/2 L - cooling unit on left

T-PGD4 6/2 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
2140	3 265	3 421	3 576



6 x drawer

2 x doors

lead for GN

sink over cooling unit

0,4 kW 230 V			
dimensions WxDxH	2140 x depth x 900 mm		

depth	sink	volume (l)
600	GN 2/3	559
700	307x510x215	676
800	307x510x215	792

T-PGV4 6/2

Refrigerated counter with cold basin

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGV4 6/2 L - cooling unit on left

T-PGV4 6/2 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
2210	3 291	3 446	3 602



6 x drawer

2 x doors

lead for GN

cold basin for GN

0,4 kW 230 V			
dimensions WxDxH	2210 x depth x 900 mm		

depth	basin	volume (l)
600	2/3	559
700	1/1	676
800	1/1	792

T-PG4 9/1

Refrigerated counter

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PG4 9/1 L - cooling unit on left

T-PG4 9/1 P - cooling unit on right



		Price without VAT (€)		
depth	length	600	700	800
2140		3 448	3 595	3 742

0,4 kW 230 V				
dimensions WxDxH	2140 x depth x 900 mm			

depth	GN	volume (l)
600	2/3 - 1/3	559
700	1/1 - 2/3 - 1/3	676
800	1/1 - 2/3 - 1/3	792

9 x drawer

1 x doors

lead for GN

T-PGD4 9/1

Refrigerated counter with sink

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGD4 9/1 L - cooling unit on left

T-PGD4 9/1 P - cooling unit on right



		Price without VAT (€)		
depth	length	600	700	800
2140		3 520	3 676	3 831

0,4 kW 230 V				
dimensions WxDxH	2140 x depth x 900 mm			

depth	sink	volume (l)
600	GN 2/3	559
700	307x510x215	676
800	307x510x215	792

9 x drawer

1 x doors

lead for GN

sink over cooling unit

T-PGV4 9/1

Refrigerated counter with cold basin

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGV4 9/1 L - cooling unit on left

T-PGV4 9/1 P - cooling unit on right



		Price without VAT (€)		
depth	length	600	700	800
2210		3 546	3 701	3 856

0,4 kW 230 V				
dimensions WxDxH	2210 x depth x 900 mm			

depth	basin	volume (l)
600	2/3	559
700	1/1	676
800	1/1	792

9 x drawer

1 x doors

lead for GN

cold basin for GN

T-PG4 12/0

Refrigerated counter

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PG4 12/0 L - cooling unit on left

T-PG4 12/0 P - cooling unit on right



		Price without VAT (€)		
depth	length	600	700	800
2140		3 702	3 850	3 997

0,4 kW 230 V				
dimensions WxDxH	2140 x depth x 900 mm			

depth	GN	volume (l)
600	2/3 - 1/3	559
700	1/1 - 2/3 - 1/3	676
800	1/1 - 2/3 - 1/3	792

12 x drawer

lead for GN

T-PGD4 12/0

Refrigerated counter with sink

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGD4 12/0 L - cooling unit on left

T-PGD4 12/0 P - cooling unit on right



		Price without VAT (€)		
depth	length	600	700	800
2140		3 775	3 930	4 086

0,4 kW 230 V				
dimensions WxDxH	2140 x depth x 900 mm			

depth	sink	volume (l)
600	GN 2/3	559
700	307x510x215	676
800	307x510x215	792

12 x drawer

lead for GN

sink over cooling unit

T-PGV4 12/0

Refrigerated counter with cold basin

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PGV4 12/0 L - cooling unit on left

T-PGV4 12/0 P - cooling unit on right



		Price without VAT (€)		
depth	length	600	700	800
2210		3 800	3 956	4 111

0,4 kW 230 V				
dimensions WxDxH	2210 x depth x 900 mm			

depth	basin	volume (l)
600	2/3	559
700	1/1	676
800	1/1	792

12 x drawer

lead for GN

cold basin for GN

T-PN1 0/1

Refrigerated counter

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PN1 0/1 L - cooling unit on left

T-PN1 0/1 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1100	1 642	1 713	1 784



1 x doors

0,4 kW 230 V			
dimensions WxDxH	1100 x depth x 900 mm		

depth	volume (l)
600	203
700	246
800	288

T-PND1 0/1

Refrigerated counter with sink

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PND1 0/1 L - cooling unit on left

T-PND1 0/1 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1100	1 705	1 783	1 861



1 x doors
sink over cooling unit

0,4 kW 230 V			
dimensions WxDxH	1100 x depth x 900 mm		

depth	sink	volume (l)
600	340x400x200	203
700	307x510x215	246
800	307x510x215	288

T-PNV1 0/1

Refrigerated counter with cold basin

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PNV1 0/1 L - cooling unit on left

T-PNV1 0/1 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1100	1 867	1 945	2 023



1 x doors
cold basin

0,4 kW 230 V			
dimensions WxDxH	1100 x depth x 900 mm		

depth	basin	volume (l)
600	250x370x250	203
700	250x470x250	246
800	250x570x250	288

T-PN1 2/0

Refrigerated counter

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PN1 2/0 L - cooling unit on left

T-PN1 2/0 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1100	1 788	1 859	1 930



2 x drawer

0,4 kW 230 V			
dimensions WxDxH	1100 x depth x 900 mm		

depth	volume (l)
600	203
700	246
800	288

T-PND1 2/0

Refrigerated counter with sink

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PND1 2/0 L - cooling unit on left

T-PND1 2/0 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1100	1 851	1 929	2 007



2 x drawer
sink over cooling unit

0,4 kW 230 V			
dimensions WxDxH	1100 x depth x 900 mm		

depth	sink	volume (l)
600	340x400x200	203
700	307x510x215	246
800	307x510x215	288

T-PNV1 2/0

Refrigerated counter with cold basin

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PNV1 2/0 L - cooling unit on left

T-PNV1 2/0 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1100	2 012	2 090	2 168



2 x drawer
cold basin

0,4 kW 230 V			
dimensions WxDxH	1100 x depth x 900 mm		

depth	basin	volume (l)
600	250x370x250	203
700	250x470x250	246
800	250x570x250	288

T-PN2 0/2

Refrigerated counter

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PN2 0/2 L - cooling unit on left

T-PN2 0/2 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1630	2 124	2 241	2 358



2 x doors

0,4 kW 230 V			
dimensions WxDxH	1630 x depth x 900 mm		

depth	volume (l)
600	378
700	457
800	536

T-PND2 0/2

Refrigerated counter with sink

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PND2 0/2 L - cooling unit on left

T-PND2 0/2 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1630	2 194	2 318	2 442



2 x doors
sink over cooling unit

0,4 kW 230 V			
dimensions WxDxH	1630 x depth x 900 mm		

depth	sink	volume (l)
600	340x400x200	378
700	307x510x215	457
800	307x510x215	536

T-PNV2 0/2

Refrigerated counter with cold basin

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PNV2 0/2 L - cooling unit on left

T-PNV2 0/2 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1630	2 355	2 480	2 604



2 x doors
cold basin

0,4 kW 230 V			
dimensions WxDxH	1630 x depth x 900 mm		

depth	basin	volume (l)
600	250x370x250	378
700	250x470x250	457
800	250x570x250	536

T-PN2 2/1

Refrigerated counter

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PN2 2/1 L - cooling unit on left

T-PN2 2/1 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1630	2 270	2 387	2 503



2 x drawer
1 x doors

0,4 kW 230 V			
dimensions WxDxH	1630 x depth x 900 mm		

depth	volume (l)
600	378
700	457
800	536

T-PND2 2/1

Refrigerated counter with sink

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PND2 2/1 L - cooling unit on left

T-PND2 2/1 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1630	2 339	2 464	2 588



2 x drawer
1 x doors
sink over cooling unit

0,4 kW 230 V			
dimensions WxDxH	1630 x depth x 900 mm		

depth	sink	volume (l)
600	340x400x200	378
700	307x510x215	457
800	307x510x215	536

T-PNV2 2/1

Refrigerated counter with cold basin

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PNV2 2/1 L - cooling unit on left

T-PNV2 2/1 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1630	2 501	2 625	2 749



2 x drawer
1 x doors
cold basin

0,4 kW 230 V			
dimensions WxDxH	1630 x depth x 900 mm		

depth	basin	volume (l)
600	250x370x250	378
700	250x470x250	457
800	250x570x250	536

T-PN2 4/0

Refrigerated counter

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PN2 4/0 L - cooling unit on left

T-PN2 4/0 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1630	2 416	2 532	2 649



4 x drawer

	0,4 kW 230 V			
dimensions WxDxH	1630 x depth x 900 mm			

depth	volume (l)
600	378
700	457
800	536

T-PND2 4/0

Refrigerated counter with sink

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PND2 4/0 L - cooling unit on left

T-PND2 4/0 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1630	2 485	2 609	2 733



4 x drawer
sink over cooling unit

	0,4 kW 230 V			
dimensions WxDxH	1630 x depth x 900 mm			

depth	sink	volume (l)
600	340x400x200	378
700	307x510x215	457
800	307x510x215	536

T-PNV2 4/0

Refrigerated counter with cold basin

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PNV2 4/0 L - cooling unit on left

T-PNV2 4/0 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
1630	2 646	2 771	2 895



4 x drawer
cold basin

	0,4 kW 230 V			
dimensions WxDxH	1630 x depth x 900 mm			

depth	basin	volume (l)
600	250x370x250	378
700	250x470x250	457
800	250x570x250	536


T-PN3 0/3

Refrigerated counter

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PN3 0/3 L - cooling unit on left

T-PN3 0/3 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
2200	2 639	2 789	2 940



3 x doors

	0,4 kW 230 V			
dimensions WxDxH	2200 x depth x 900 mm			

depth	volume (l)
600	568
700	686
800	804


T-PND3 0/3

Refrigerated counter with sink

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PND3 0/3 L - cooling unit on left

T-PND3 0/3 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
2200	2 714	2 873	3 032



3 x doors
sink over cooling unit

	0,4 kW 230 V			
dimensions WxDxH	2200 x depth x 900 mm			

depth	sink	volume (l)
600	340x400x200	568
700	307x510x215	686
800	307x510x215	804


T-PNV3 0/3

Refrigerated counter with cold basin

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PNV3 0/3 L - cooling unit on left

T-PNV3 0/3 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
2200	2 740	2 899	3 058



3 x doors
cold basin

	0,4 kW 230 V			
dimensions WxDxH	2200 x depth x 900 mm			

depth	basin	volume (l)
600	250x370x250	568
700	250x470x250	686
800	250x570x250	804

Refrigerated counters


T-PN3 2/2

Refrigerated counter

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PN3 2/2 L - cooling unit on left

T-PN3 2/2 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
2200	2 784	2 935	3 085

2 x drawer
2 x doors

0,4 kW 230 V			
dimensions WxDxH	2200 x depth x 900 mm		

depth	volume (l)
600	568
700	686
800	804

T-PND3 2/2

Refrigerated counter with sink

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PND3 2/2 L - cooling unit on left

T-PND3 2/2 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
2200	2 860	3 019	3 178

2 x drawer
2 x doors
sink over cooling unit

0,4 kW 230 V			
dimensions WxDxH	2200 x depth x 900 mm		

depth	sink	volume (l)
600	340x400x200	568
700	307x510x215	686
800	307x510x215	804


T-PNV3 2/2

Refrigerated counter with cold basin

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PNV3 2/2 L - cooling unit on left

T-PNV3 2/2 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
2200	2 886	3 044	3 203

2 x drawer
2 x doors
cold basin

0,4 kW 230 V			
dimensions WxDxH	2200 x depth x 900 mm		

depth	basin	volume (l)
600	250x370x250	568
700	250x470x250	686
800	250x570x250	804

T-PN3 4/1

Refrigerated counter

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PN3 4/1 L - cooling unit on left

T-PN3 4/1 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
2200	2 930	3 081	3 231

4 x drawer
1 x doors

0,4 kW 230 V			
dimensions WxDxH	2200 x depth x 900 mm		

depth	volume (l)
600	568
700	686
800	804

T-PND3 4/1

Refrigerated counter with sink

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PND3 4/1 L - cooling unit on left

T-PND3 4/1 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
2200	3 006	3 165	3 323

4 x drawer
1 x doors
sink over cooling unit

0,4 kW 230 V			
dimensions WxDxH	2200 x depth x 900 mm		

depth	sink	volume (l)
600	340x400x200	568
700	307x510x215	686
800	307x510x215	804


T-PNV3 4/1

Refrigerated counter with cold basin

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PNV3 4/1 L - cooling unit on left

T-PNV3 4/1 P - cooling unit on right



depth length	Price without VAT (€)		
	600	700	800
2200	3 031	3 190	3 349

4 x drawer
1 x doors
cold basin

0,4 kW 230 V			
dimensions WxDxH	2200 x depth x 900 mm		

depth	basin	volume (l)
600	250x370x250	568
700	250x470x250	686
800	250x570x250	804

Refrigerated counters and basins


T-PN3 6/0

Refrigerated counter

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PN3 6/0 L - cooling unit on left

T-PN3 6/0 P - cooling unit on right



lenght \ depth	Price without VAT (€)		
	600	700	800
2200	3 076	3 226	3 377



6 x drawer

0,4 kW 230 V			
dimensions WxDxH	2200 x depth x 900 mm		

depth	volume (l)
600	568
700	686
800	804

T-PND3 6/0

Refrigerated counter with sink

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PND3 6/0 L - cooling unit on left

T-PND3 6/0 P - cooling unit on right



lenght \ depth	Price without VAT (€)		
	600	700	800
2200	3 151	3 310	3 469



6 x drawer
sink over cooling unit

0,4 kW 230 V			
dimensions WxDxH	2200 x depth x 900 mm		

depth	sink	volume (l)
600	340x400x200	568
700	307x510x215	686
800	307x510x215	804


T-PNV3 6/0

Refrigerated counter with cold basin

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant

T-PNV3 6/0 L - cooling unit on left

T-PNV3 6/0 P - cooling unit on right



lenght \ depth	Price without VAT (€)		
	600	700	800
2200	3 177	3 336	3 495



6 x drawer
cold basin

0,4 kW 230 V			
dimensions WxDxH	2200 x depth x 900 mm		

depth	basin	volume (l)
600	250x370x250	568
700	250x370x250	686
800	250x370x250	804


T-PV2 2GN

Refrigerated basin for GN

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant



lenght \ depth	Price without VAT (€)	
	700	800
800	1 259	1 316



2 x GN 1/1 - depth 150 mm

0,4 kW 230 V			
dimensions WxDxH	800 x depth x 900 mm		

T-PV3 3GN

Refrigerated basin for GN

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant



lenght \ depth	Price without VAT (€)	
	700	800
1200	1 304	1 365



3 x GN 1/1 - depth 150 mm

0,4 kW 230 V			
dimensions WxDxH	1200 x depth x 900 mm		


T-PV4 4GN

Refrigerated basin for GN

- » Made from stainless steel EN 17241
- » Working desk thickness 50 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » R134a coolant



lenght \ depth	Price without VAT (€)	
	700	800
1500	1 349	1 415



4 x GN 1/1 - depth 150 mm


0,4 kW 230 V			
dimensions WxDxH	1500 x depth x 900 mm		

Refrigerated glass cabinets

► T-CHV - O

Refrigerated glass cabinet

- » Made from stainless steel EN 17241
- » Standard height 700 mm
- » Depth 600 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » Thermo-insulation double glass
- » R134a coolant
- » Cooling unit must be under working desk




Lenght	power	Price without VAT (€)
		T-CHV-O
800	0.3 kW / 230 V	1 663
1200	0.3 kW / 230 V	1 738
1500	0.3 kW / 230 V	1 815

► T-CHV - S

Refrigerated self-service glass cabinet

- » Made from stainless steel EN 17241
- » Standard height 700 mm
- » Depth 600 mm
- » Working temperature +2 / +8 at room temperature to 32 °C
- » Thermo-insulation double glass
- » R134a coolant
- » Cooling unit must be under working desk



Lenght	power	Price without VAT (€)
		T-CHV-S
800	0.3 kW / 230 V	1 747
1200	0.3 kW / 230 V	1 789
1500	0.3 kW / 230 V	1 830

Bain marie with soldered basins

➤ T-ASV - 1Z 2GN

Bain marie for GN

- » Made from stainless steel EN 17241
- » Leg adjustment +45 mm
- » Temperature controller 0 / +90 °C
- » Soldered basin
- » Water and drain valve
- » 3 side covers
- » Standard doors



	1,1 kW 230 V			hot water earth drain
dimensions WxDxH		800 x 700 x 900 mm		

816 €

2 x GN 1/1 - depth 200 mm



➤ T-ASV - 1Z 3GN

Bain marie for GN

- » Made from stainless steel EN 17241
- » Leg adjustment +45 mm
- » Temperature controller 0 / +90 °C
- » Soldered basin
- » Water and drain valve
- » 3 side covers
- » Rolling doors



	1,4 kW 230 V			hot water earth drain
dimensions WxDxH		1200 x 700 x 900 mm		

909 €

3 x GN 1/1 - depth 200 mm



➤ T-ASV - 1Z 4GN

Bain marie for GN

- » Made from stainless steel EN 17241
- » Leg adjustment +45 mm
- » Temperature controller 0 / +90 °C
- » Soldered basin
- » Water and drain valve
- » 3 side covers
- » Rolling doors



	2,1 kW 230 V			hot water earth drain
dimensions WxDxH		1500 x 700 x 900 mm		

950 €

4 x GN 1/1 - depth 200 mm



➤ T-ASV - 2Z 2GN

Bain marie for GN

- » Made from stainless steel EN 17241
- » Leg adjustment +45 mm
- » Temperature controller 0 / +90 °C
- » Soldered basin
- » Water and drain valve
- » Shelf 150 mm from ground



	1,1 kW 230 V			hot water earth drain
dimensions WxDxH		800 x 700 x 900 mm		

667 €

2 x GN 1/1 - depth 200 mm



➤ T-ASV - 2Z 3GN

Bain marie for GN

- » Made from stainless steel EN 17241
- » Leg adjustment +45 mm
- » Temperature controller 0 / +90 °C
- » Soldered basin
- » Water and drain valve
- » Shelf 150 mm from ground



	1,4 kW 230 V			hot water earth drain
dimensions WxDxH		1200 x 700 x 900 mm		

723 €

3 x GN 1/1 - depth 200 mm



➤ T-ASV - 2Z 4GN

Bain marie for GN

- » Made from stainless steel EN 17241
- » Leg adjustment +45 mm
- » Temperature controller 0 / +90 °C
- » Soldered basin
- » Water and drain valve
- » Shelf 150 mm from ground



	2,1 kW 230 V			hot water earth drain
dimensions WxDxH		1500 x 700 x 900 mm		

786 €

4 x GN 1/1 - depth 200 mm



Gastronorm containers not included.

Bain marie with stamped basins

➤ T-ASV - 1L 2GN

Bain marie for GN

- » Made from stainless steel EN 17241
- » Leg adjustment +45 mm
- » Temperature controller 0 / +90 °C
- » Stamped basin
- » Water and drain valve
- » 3 side covers
- » Standard doors



	1,1 kW 230 V			hot water earth drain
dimensions WxDxH		800 x 700 x 900 mm		

896 €

2 x GN 1/1 - depth 200 mm



➤ T-ASV - 1L 3GN

Bain marie for GN

- » Made from stainless steel EN 17241
- » Leg adjustment +45 mm
- » Temperature controller 0 / +90 °C
- » Stamped basin
- » Water and drain valve
- » 3 side covers
- » Rolling doors



	1,4 kW 230 V			hot water earth drain
dimensions WxDxH		1200 x 700 x 900 mm		

1 019 €

3 x GN 1/1 - depth 200 mm



➤ T-ASV - 1L 4GN

Bain marie for GN

- » Made from stainless steel EN 17241
- » Leg adjustment +45 mm
- » Temperature controller 0 / +90 °C
- » Stamped basin
- » Water and drain valve
- » 3 side covers
- » Rolling doors



	2,1 kW 230 V			hot water earth drain
dimensions WxDxH		1500 x 700 x 900 mm		

1 126 €

4 x GN 1/1 - depth 200 mm



➤ T-ASV - 2L 2GN

Bain marie for GN

- » Made from stainless steel EN 17241
- » Leg adjustment +45 mm
- » Temperature controller 0 / +90 °C
- » Stamped basin
- » Water and drain valve
- » Shelf 150 mm from ground



	1,1 kW 230 V			hot water earth drain
dimensions WxDxH		800 x 700 x 900 mm		

751 €

2 x GN 1/1 - depth 200 mm



➤ T-ASV - 2L 3GN

Bain marie for GN

- » Made from stainless steel EN 17241
- » Leg adjustment +45 mm
- » Temperature controller 0 / +90 °C
- » Stamped basin
- » Water and drain valve
- » Shelf 150 mm from ground



	1,4 kW 230 V			hot water earth drain
dimensions WxDxH		1200 x 700 x 900 mm		

854 €

3 x GN 1/1 - depth 200 mm



➤ T-ASV - 2L 4GN

Bain marie for GN

- » Made from stainless steel EN 17241
- » Leg adjustment +45 mm
- » Temperature controller 0 / +90 °C
- » Stamped basin
- » Water and drain valve
- » Shelf 150 mm from ground



	2,1 kW 230 V			hot water earth drain
dimensions WxDxH		1500 x 700 x 900 mm		

961 €

4 x GN 1/1 - depth 200 mm



Gastronorm containers not included.

Bain marie with separated basins

➤ T-ASV - 3L 2GN

Bain marie for GN

- » Made from stainless steel EN 17241
- » Leg adjustment +45 mm
- » Temperature controller 0 / +90 °C
- » Staped separated basins
- » Controller for each basin
- » Water and drain valve
- » 3 side covers
- » Standard doors



	1,4 kW 230 V			hot water earth drain
dimensions WxDxH		800 x 700 x 900 mm		

1 030 €

2 x GN 1/1 - depth 200 mm



➤ T-ASV - 3L 3GN

Bain marie for GN

- » Made from stainless steel EN 17241
- » Leg adjustment +45 mm
- » Temperature controller 0 / +90 °C
- » Staped separated basins
- » Controller for each basin
- » Water and drain valve
- » 3 side covers
- » Rolling doors



	2,1 kW 230 V			hot water earth drain
dimensions WxDxH		1200 x 700 x 900 mm		

1 245 €

3 x GN 1/1 - depth 200 mm



➤ T-ASV - 3L 4GN

Bain marie for GN

- » Made from stainless steel EN 17241
- » Leg adjustment +45 mm
- » Temperature controller 0 / +90 °C
- » Staped separated basins
- » Controller for each basin
- » Water and drain valve
- » 3 side covers
- » Rolling doors



	2,8 kW 230 V			hot water earth drain
dimensions WxDxH		1500 x 700 x 900 mm		

1 364 €

4 x GN 1/1 - depth 200 mm



➤ T-ASV - 4L 2GN

Bain marie for GN

- » Made from stainless steel EN 17241
- » Leg adjustment +45 mm
- » Temperature controller 0 / +90 °C
- » Staped separated basins
- » Controller for each basin
- » Water and drain valve
- » Shelf 150 mm from ground



	1,4 kW 230 V			hot water earth drain
dimensions WxDxH		800 x 700 x 900 mm		

866 €

2 x GN 1/1 - depth 200 mm



➤ T-ASV - 4L 3GN

Bain marie for GN

- » Made from stainless steel EN 17241
- » Leg adjustment +45 mm
- » Temperature controller 0 / +90 °C
- » Staped separated basins
- » Controller for each basin
- » Water and drain valve
- » Shelf 150 mm from ground



	2,1 kW 230 V			hot water earth drain
dimensions WxDxH		1200 x 700 x 900 mm		

1 103 €

3 x GN 1/1 - depth 200 mm



➤ T-ASV - 4L 4GN

Bain marie for GN

- » Made from stainless steel EN 17241
- » Leg adjustment +45 mm
- » Temperature controller 0 / +90 °C
- » Staped separated basins
- » Controller for each basin
- » Water and drain valve
- » Shelf 150 mm from ground



	2,8 kW 230 V			hot water earth drain
dimensions WxDxH		1500 x 700 x 900 mm		

1 200 €

4 x GN 1/1 - depth 200 mm



Gastronorm containers not included.

T-ASV - RZ 2GN

Bain marie for GN with hot cupboard

- » Made from stainless steel EN 17241
- » Leg adjustment +45 mm
- » Temperature controller 0 / +90 °C
- » Soldered basin
- » Cupboard controller 0 / +90 °C
- » Water and drain valve
- » 3 side covers
- » Standard doors



	2,2 kW 230 V			hot water earth drain
dimensions WxDxH		800 x 700 x 900 mm		

1 165 €

2 x GN 1/1 - depth 200 mm



T-ASV - RZ 3GN

Bain marie for GN with hot cupboard

- » Made from stainless steel EN 17241
- » Leg adjustment +45 mm
- » Temperature controller 0 / +90 °C
- » Soldered basin
- » Cupboard controller 0 / +90 °C
- » Water and drain valve
- » 3 side covers
- » Rolling doors



	2,5 kW 230 V			hot water earth drain
dimensions WxDxH		1200 x 700 x 900 mm		

1 210 €

3 x GN 1/1 - depth 200 mm



T-ASV - RZ 4GN

Bain marie for GN with hot cupboard

- » Made from stainless steel EN 17241
- » Leg adjustment +45 mm
- » Temperature controller 0 / +90 °C
- » Soldered basin
- » Cupboard controller 0 / +90 °C
- » Water and drain valve
- » 3 side covers
- » Rolling doors



	4,3 kW 400 V			hot water earth drain
dimensions WxDxH		1500 x 700 x 900 mm		

1 254 €

37 790 Sk

4 x GN 1/1 - depth 200 mm



T-OST - 1

Hot cupboard

- » Made from stainless steel EN 17241
- » Leg adjustment +45 mm
- » Cupboard controller 0 / +90 °C
- » 3 side covers
- » Rolling doors



T-OST - 2

Hot cupboard

- » Made from stainless steel EN 17241
- » Leg adjustment +45 mm
- » Cupboard controller 0 / +90 °C
- » 3 side covers
- » Rolling doors s oboch strán

lenght \ model	power	Price without VAT (€)	
		OST-1	OST-2
800	1.1 kW / 230 V	896	996
900	1.1 kW / 230 V	906	1 006
1000	1.1 kW / 230 V	1 034	1 134
1100	1.1 kW / 230 V	1 041	1 141
1200	2.2 kW / 230 V	1 049	1 149
1300	2.2 kW / 230 V	1 056	1 156
1400	2.2 kW / 230 V	1 063	1 163
1500	2.2 kW / 230 V	1 071	1 171
1600	2.2 kW / 230 V	1 078	1 178
1700	2.2 kW / 230 V	1 086	1 186
1800	3.3 kW / 230 V	1 093	1 193
1900	3.3 kW / 230 V	1 101	1 201
2000	3.3 kW / 230 V	1 108	1 208
2100	3.3 kW / 230 V	1 116	1 216
2200	3.3 kW / 230 V	1 123	1 223
2300	3.3 kW / 230 V	1 131	1 231
2400	3.3 kW / 230 V	1 138	1 238

Gastronorm containers not included.

► T-AVV - 1Z 2GN

Mobile bain marie

- » Made from stainless steel EN 17241
- » Temperature controller 0 / +90 °C
- » Soldered basin
- » 4 x wheel (2 braked)
- » Shelf
- » Drain valve



	1,1 kW 230 V			
dimensions WxDxH		860 x 630 x 900 mm		

544 €

2 x GN 1/1 - depth 200 mm



► T-AVV - 1Z 3GN

Mobile bain marie

- » Made from stainless steel EN 17241
- » Temperature controller 0 / +90 °C
- » Soldered basin
- » 4 x wheel (2 braked)
- » Shelf
- » Drain valve



	1,4 kW 230 V			
dimensions WxDxH		1160 x 630 x 900 mm		

614 €

3 x GN 1/1 - depth 200 mm



► T-AVV - 1Z 4GN

Mobile bain marie

- » Made from stainless steel EN 17241
- » Temperature controller 0 / +90 °C
- » Soldered basin
- » 4 x wheel (2 braked)
- » Shelf
- » Drain valve



	2,1 kW 230 V			
dimensions WxDxH		1480 x 630 x 900 mm		

678 €

4 x GN 1/1 - depth 200 mm



► T-AVV - 2L 2GN

Mobile bain marie with separated basins

- » Made from stainless steel EN 17241
- » Temperature controller 0 / +90 °C
- » Staped separated basins
- » Controller for each basin
- » 4 x wheel (2 braked)
- » Shelf
- » Drain valve



	1,1 kW 230 V			
dimensions WxDxH		860 x 630 x 900 mm		

698 €

2 x GN 1/1 - depth 200 mm



► T-AVV - 2L 3GN

Mobile bain marie with separated basins

- » Made from stainless steel EN 17241
- » Temperature controller 0 / +90 °C
- » Staped separated basins
- » Controller for each basin
- » 4 x wheel (2 braked)
- » Shelf
- » Drain valve



	1,4 kW 230 V			
dimensions WxDxH		1210 x 630 x 900 mm		

893 €

3 x GN 1/1 - depth 200 mm



► T-AVV - 2L 4GN

Mobile bain marie with separated basins

- » Made from stainless steel EN 17241
- » Temperature controller 0 / +90 °C
- » Staped separated basins
- » Controller for each basin
- » 4 x wheel (2 braked)
- » Shelf
- » Drain valve



	2,1 kW 230 V			
dimensions WxDxH		1560 x 630 x 900 mm		

1 056 €

4 x GN 1/1 - depth 200 mm



Gastronorm containers not included.

Heating trolleys for plates

► T-OVNT - 1

Heating trolley for plates

- » Made from stainless steel EN 17241
- » Temperature controller +30 / +80 °C
- » 4 x wheel (2 braked)
- » Spring lifting device
- » Andjustable system for different plates
- » Capacity 50 plates



	0,7 kW 230 V			
dimensions WxDxH		570 x 470 x 900 mm		

480 €

► T-OVNT - 2

Heating trolley for plates

- » Made from stainless steel EN 17241
- » Temperature controller +30 / +80 °C
- » 4 x wheel (2 braked)
- » Spring lifting device
- » Andjustable system for different plates
- » Capacity 2 x 50 plates



	1,1 kW 230 V			
dimensions WxDxH		970 x 470 x 900 mm		

634 €

Table shelves with infrared heating

► T-VM - 1

Table shelves with infrared heating

- » Made from stainless steel EN 17241
- » Ceramic infrared heater elements
- » Depth 300 mm
- » Total height 400 mm



► T-VM - 2

Table shelves with infrared heating

- » Made from stainless steel EN 17241
- » Ceramic infrared heater elements
- » Depth 300 mm
- » Total height 700 mm
- » 1 heating + 1 neutral shelf

T-VM-2 A - upper shelf with heating
T-VM-2 B - bottom shelf with heating



lenght \ model	power	Price without VAT (€)	
		T-VM-1	T-VM-2
800	0.5 kW / 230 V	184	204
900	0.5 kW / 230 V	193	215
1000	0.5 kW / 230 V	202	225
1100	0.5 kW / 230 V	211	236
1200	0.75 kW / 230 V	263	290
1300	0.75 kW / 230 V	271	300
1400	0.75 kW / 230 V	280	311
1500	0.75 kW / 230 V	289	321
1600	1 kW / 230 V	341	375
1700	1 kW / 230 V	350	385
1800	1 kW / 230 V	358	396

► T-VM - 3

Table shelves with infrared heating

- » Made from stainless steel EN 17241
- » Ceramic infrared heater elements
- » Depth 300 mm
- » Total height 700 mm
- » 2 heating shelves



lenght \ model	power	Price without VAT (€)
		T-VM-3
800	1 kW / 230 V	262
900	1 kW / 230 V	272
1000	1 kW / 230 V	283
1100	1 kW / 230 V	293
1200	1.5 kW / 230 V	390
1300	1.5 kW / 230 V	401
1400	1.5 kW / 230 V	411
1500	1.5 kW / 230 V	422
1600	2 kW / 230 V	519
1700	2 kW / 230 V	529
1800	2 kW / 230 V	540

Hygienic sheets

► T-HZ - 1

Hygienic sheet

- » Made from stainless steel EN 17241
- » Rounded cover glass
- » Total height 300 mm

T-HZ - 1S with lighting




lenght \ model	Price without VAT (€)	
	T-HZ-1	T-HZ-1S
800	169	215
1200	182	228
1500	203	249
1800	234	280

► T-HZ - 2

Hygienic sheet with shelf

- » Made from stainless steel EN 17241
- » Stainless steel shelf
- » Rounded cover glass
- » Total height 600 mm

T-HZ - 2S with lighting



lenght \ model	Price without VAT (€)	
	T-HZ-2	T-HZ-2S
800	195	241
1200	208	254
1500	221	267
1800	255	301

► T-HZ - 3

Hygienic sheet

- » Made from stainless steel EN 17241
- » Massive console
- » Flat cover glass
- » Total height 300 mm

T-HZ - 3S with lighting

lenght \ model	Price without VAT (€)	
	T-HZ-3	T-HZ-3S
800	195	241
1200	210	256
1500	234	280
1800	270	316

► T-HZ - 4

Hygienic sheet with shelf

- » Made from stainless steel EN 17241
- » Stainless steel shelf
- » Massive console
- » Flat cover glass
- » Total height 600 mm

T-HZ - 4S with lighting

lenght \ model	Price without VAT (€)	
	T-HZ-4	T-HZ-4S
800	225	271
1200	240	286
1500	255	301
1800	294	340

Cash boxes


► T-PPZ - 1

Open cash box

- » Made from stainless steel EN 17241
- » Drawer for cash
- » Leg adjustment +45 mm
- » Standard height 900 mm

T-PPZ-1P right version

T-PPZ-1L left version



lenght \ depth	Price without VAT (€)	
	700	
1200	433	
1300	452	
1400	472	
1500	492	
1400	512	

► T-PPZ - 2

Closed cash box

- » Made from stainless steel EN 17241
- » Drawer for cash
- » Leg adjustment +45 mm
- » Standard height 900 mm

T-PPZ-2P right version

T-PPZ-2L left version




lenght \ depth	Price without VAT (€)	
	700	
1200	473	
1300	492	
1400	512	
1500	532	
1400	552	

Electric heating plate

► T-EVS

Electric heating plate

- » Made from stainless steel EN 17241
- » Rounded plate Ø 400 mm
- » 3-levers power controller
- » Leg adjustment +45 mm



	6 kW 400 V				
dimensions WxDxH		580 x 580 x 400 mm			

535 €


TAXON

Containers for pastry and cutlery

► T-NNP - 1

Container for pastry

- » Made from stainless steel EN 17241
- » Transparent element from plexiglass
- » Filling from above




dimensions WxDxH		400 x 500 x 500 mm			

295 €

► T-NNP - 2

Container for pastry

- » Made from stainless steel EN 17241
- » Transparent element from plexiglass
- » Dividing wall for two kind of pastry
- » Filling from above




dimensions WxDxH		600 x 500 x 500 mm			

308 €

► T-APS - 1

Container for cutlery

- » Made from stainless steel EN 17241
- » 3 x GN 1/3 - 150 mm included



dimensions WxDxH		600 x 360 x 250 mm			

147 €

► T-APS - 1S

Container for cutlery

- » Made from stainless steel EN 17241
- » 3 x GN 1/3 - 150 mm included
- » Cantilever system




dimensions WxDxH		600 x 360 x 550 mm			

189 €

► T-APS - 2

Container for cutlery

- » Made from stainless steel EN 17241
- » 4 x GN 1/4 - 150 mm included



dimensions WxDxH		770 x 360 x 250 mm			

170 €

► T-APS - 2S

Container for cutlery

- » Made from stainless steel EN 17241
- » 4 x GN 1/4 - 150 mm included
- » Cantilever system



dimensions WxDxH		770 x 360 x 550 mm			

226 €

TAXON

Trail fot trays

► T-TSD - 1

Trail fot trays

- » Made from stainless steel EN 17241
- » Depth 350 mm
- » 3 x glazed tube Ø 30 mm
- » Consoles included
- » Price for 1 meter lenght

**96 €**

► T-TSD - 1

Trail fot trays jaklová

- » Made from stainless steel EN 17241
- » Depth 350 mm
- » 4 x stainless steel profile 25x25 mm
- » Consoles included
- » Price for 1 meter lenght

**90 €**

► T-SZ

Handrail

- » Made from stainless steel EN 17241
- » Height 900 mm
- » Jakl 40x40 mm
- » Price for 1 meter lenght


**74 €****TAXON**

Trolleys for trays

► T-VNP - 1

Trolley for trays and cutlery

- » Made from stainless steel EN 17241
- » 4 x wheel Ø 125 mm (2 braked)
- » 3 x GN 1/3 - 150 mm included




dimensions WxDxH			600 x 600 x 1200 mm		

349 €

► T-VNP - 1 P

Trolley for trays, cutlery and pastry

- » Made from stainless steel EN 17241
- » 4 x wheel Ø 125 mm (2 braked)
- » 3 x GN 1/3 - 150 mm included
- » Container for two kind of pastry



dimensions WxDxH			600 x 600 x 1500 mm		

645 €

► T-VNP - 2

Trolley for trays and cutlery

- » Made from stainless steel EN 17241
- » 4 x wheel Ø 125 mm (2 braked)
- » 4 x GN 1/4 - 150 mm included




dimensions WxDxH			700 x 600 x 1200 mm		

358 €

► T-VNP - 2 P

Trolley for trays, cutlery and pastry

- » Made from stainless steel EN 17241
- » 4 x wheel Ø 125 mm (2 braked)
- » 4 x GN 1/4 - 150 mm included
- » Container for two kind of pastry



dimensions WxDxH			700 x 600 x 1500 mm		

667 €

Trolleys for trays

T-NVNT - 1

Adjustable trolley for trays

- » Made from stainless steel EN 17241
- » 4 x wheel Ø 125 mm (2 braked)
- » Adjustable spring lifting device



dimensions WxDxH			700 x 600 x 900 mm		

570 €

T-NVNT - 2

Adjustable trolley for trays and cutlery

- » Made from stainless steel EN 17241
- » 4 x wheel Ø 125 mm (2 braked)
- » Adjustable spring lifting device
- » 4 x GN 1/4 - 150 mm included



dimensions WxDxH			700 x 600 x 1200 mm		

650 €

T-SP - 1 T

Trolley for trays

- » Made from stainless steel EN 17241
- » Lead for trays
- » 4 x wheel Ø 125 mm (2 braked)



dimensions WxDxH			570 x 650 x 1600 mm		

314 €

Dimensions are depend on tray model

T-SP - 2 T

Trolley for trays

- » Made from stainless steel EN 17241
- » Lead for trays
- » 4 x wheel Ø 125 mm (2 braked)
- » Two line version



dimensions WxDxH			1110 x 650 x 1600 mm		

538 €

Dimensions are depend on tray model

Facing for self-service lines

T-OP - 1

Facework - wooden design

- » Made from laminated chipboard
- » Socle made from stainless steel EN17241
- » Total height 820 mm
- » Price for 1 meter lenght




Beech



Rustical oak



Cherry-wood




Walnut

40 €

T-OP - 2

Facework - pastel color design

- » Made from laminated chipboard
- » Socle made from stainless steel EN17241
- » Total height 820 mm
- » Price for 1 meter lenght



Beige



Blue



Vanilla

50 €

Decors above with stadard terms of delivery


TAXON

Cooker hoods

➤ T-OPN - 1

Wall cooker hood

- » Made from stainless steel EN 17241
- » Standard height 450 mm
- » Vertical fat filters 400x400 mm included
- » Smart bin from condens
- » Support for hang



405 €


Price for m²

For exactly price, is necessary to know area in m². Hood will be delivered with needed number fat filters

➤ T-OPN - 2

Wall cooker hood

- » Made from stainless steel EN 17241
- » Standard height 450 mm
- » Vertical fat filters 400x400 mm included
- » Smart bin from condens
- » Support for hang



405 €


Price for m²

For exactly price, is necessary to know area in m². Hood will be delivered with needed number fat filters

➤ T-OPP

Central cooker hood

- » Made from stainless steel EN 17241
- » Standard height 450 mm
- » Vertical fat filters 400x400 mm included
- » Smart bin from condens
- » Support for hang



465 €

Price for m²

For exactly price, is necessary to know area in m². Hood will be delivered with needed number fat filters

TAXON

Príslušenstvo

➤ Light

- » Stainless steel console included




49 €

For 1 m lenght is necessary 1 pc

➤ Fat filter

- » Made from stainless steel EN 17241
- » Iron thickness 0.8 mm
- » Stainless steel cover
- » Filter - tensile steel



78 €

